CERAMIC SMD CRYSTAL





5.0 X 3.2 X 1.1mm

ABM3B

ABM3B

FEATURES:

- Fundamental mode.
- · Suitable for reflow.
- Tight Stability available.
- Ceramic package and metal lid assures high precision and reliability.
- Seam sealing.

> APPLICATIONS:

- Cellular telephones, Pagers.
- Communication and Test equipment.
- High Density applications.
- PCMCIA and wireless applications.

STANDARD SPECIFICATIONS:

PARAMETERS		
ABRACON P/N	ABM3B Series	
Frequency Range	8.0MHz - 50.0MHz (Fundamental 50.1MHz - 125MHz (3rd overtone)	
Operation Mode	Fundamental or 3rd overtone	
Operating Temperature	- 10°C to + 60°C (see options)	
Storage Temperature	- 40°C to + 85°C	
Frequency Tolerance @ 25°C	± 50 ppm max. (see options)	
Frequency Stability over the		
Operating Temperature		
$(\text{Ref to} + 25^{\circ}\text{C})$	\pm 50 ppm max. (see options)	
Equivalent Series Resistance	See table 1	
Shunt Capacitance C0	7 pF max.	
Load Capacitance CL	18 pF (see options)	
Drive Level	100 μW max., 10 μW typical	
Aging (First Year) @ 25° C $\pm 3^{\circ}$ C	± 5ppm max.	
Insulation Resistance	$500 \mathrm{M}\Omega$ min at $100 \mathrm{Vdc} \pm 15 \mathrm{V}$	

TABLE 1- Standard ESR

Frequency (MHz)	$\mathbf{ESR}(\Omega)$ max	Frequency (MHz)	ESR(Ω max)
8.000 - 9.999 (Fund.)	200	16.000 - 50.000 (Fund.)	50
10.000 -11.999 (Fund.)	100	50.001 - 80.000 (3rd OT)	60
12.000 - 15.999 (Fund.)	70	80.001 - 125.000 (3rd OT)	80



CERAMIC SMD CRYSTAL

ABM3B







5.0 X 3.2 X 1.1mm

ABM3B

OPTIONS AND PART IDENTIFICATION: (Left blank if standard)



OUTLINE DIMENSIONS:



of the crystal in any way.

CERAMIC SMD CRYSTAL

ABM3B







5.0 X 3.2 X 1.1mm

ABM3B

REFLOW PROFILE:



TAPE & REEL:



Dimension: mm

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.





单击下面可查看定价,库存,交付和生命周期等信息

>>ABRACON