muRata

Reference Specification


Type RA Safety Standard Certified Lead Type Disc Ceramic Capacitors for General Purpose

Product specifications in this catalog are as of Jun. 2019, and are subject to change or obsolescence without notice.

Please consult the approval sheet before ordering. Please read rating and Cautions first.

1. OPERATING VOLTAGE

When DC-rated capacitors are to be used in AC or ripple current circuits, be sure to maintain the Vp-p value of the applied voltage or the Vo-p which contains DC bias within the rated voltage range. When the voltage is started to apply to the circuit or it is stopped applying, the irregular voltage may be generated for a transit period because of resonance or switching. Be sure to use a capacitor within rated voltage containing these irregular voltage.



2. OPERATING TEMPERATURE AND SELF-GENERATED HEAT

Keep the surface temperature of a capacitor below the upper limit of its rated operating temperature range. Be sure to take into account the heat generated by the capacitor itself.

When the capacitor is used in a high-frequency current, pulse current or the like, it may have the selfgenerated heat due to dielectric-loss. Applied voltage should be the load such as self-generated heat is within 20 °C on the condition of atmosphere temperature 25 °C. When measuring, use a thermocouple of small thermal capacity-K of ϕ 0.1mm and be in the condition where capacitor is not affected by radiant heat of other components and wind of surroundings. Excessive heat may lead to deterioration of the capacitor's characteristics and reliability.(Never attempt to perform measurement with the cooling fan running. Otherwise, accurate measurement cannot be ensured.)

3. TEST CONDITION FOR WITHSTANDING VOLTAGE

(1) TEST EQUIPMENT

Test equipment for AC withstanding voltage should be used with the performance of the wave similar to 50/60 Hz sine wave.

If the distorted sine wave or over load exceeding the specified voltage value is applied, the defective may be caused.

(2) VOLTAGE APPLIED METHOD

When the withstanding voltage is applied, capacitor's lead or terminal should be firmly connected to the out-put of the withstanding voltage test equipment, and then the voltage should be raised from near zero to the test voltage.

If the test voltage without the raise from near zero voltage would be applied directly to capacitor, test voltage should be applied with the *zero cross. At the end of the test time, the test voltage should be reduced to near zero, and then capacitor's lead or terminal should be taken off the out-put of the withstanding voltage test equipment.

If the test voltage without the raise from near zero voltage would be applied directly to capacitor, the surge voltage may arise, and therefore, the defective may be caused.

*ZERO CROSS is the point where voltage sine wave pass 0V. - See the right figure -

0V voltage sine wave

4. FAIL-SAFE

When capacitor would be broken, failure may result in a short circuit. Be sure to provide an appropriate fail-safe function like a fuse on your product if failure would follow an electric shock, fire or fume.

5. VIBRATION AND IMPACT

Do not expose a capacitor or its leads to excessive shock or vibration during use.

6. SOLDERING

When soldering this product to a PCB/PWB, do not exceed the solder heat resistance specification of the capacitor. Subjecting this product to excessive heating could melt the internal junction solder and may result in thermal shocks that can crack the ceramic element.

When soldering capacitor with a soldering iron, it should be performed in following conditions.

Temperature of iron-tip : 400 °C max.

Soldering iron wattage : 50W max.

Soldering time : 3.5s max.

7. BONDING, RESIN MOLDING AND COATING

In case of bonding, molding or coating this product, verify that these processes do not affect the quality of capacitor by testing the performance of the bonded, molded or coated product in the intended equipment.

In case of the amount of applications, dryness / hardening conditions of adhesives and molding resins containing organic solvents (ethyl acetate, methyl ethyl ketone, toluene, etc.) are unsuitable, the outer coating resin of a capacitor is damaged by the organic solvents and it may result, worst case, in a short circuit.

The variation in thickness of adhesive, molding resin or coating may cause a outer coating resin cracking and/or ceramic element cracking of a capacitor in a temperature cycling.

8. TREATMENT AFTER BONDING, RESIN MOLDING AND COATING

When the outer coating is hot (over 100 $^{\circ}$ C) after soldering, it becomes soft and fragile. So please be careful not to give it mechanical stress.

Failure to follow the above cautions may result, worst case, in a short circuit and cause fuming or partial dispersion when the product is used.

9. OPERATING AND STORAGE ENVIRONMENT

The insulating coating of capacitors does not form a perfect seal; therefore, do not use or store capacitors in a corrosive atmosphere, especially where chloride gas, sulfide gas, acid, alkali, salt or the like are present. And avoid exposure to moisture. Before cleaning, bonding, or molding this product, verify that these processes do not affect product quality by testing the performance of a cleaned, bonded or molded product in the intended equipment. Store the capacitors where the temperature and relative humidity do not exceed -10 to 40 °C and 15 to 85%.

Use capacitors within 6 months after delivered. Check the solderability after 6 months or more.

10. LIMITATION OF APPLICATIONS

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. Power plant control equipment
- 5. Medical equipment
- 6. Transportation equipment (vehicles, trains, ships, etc.)
- 7. Traffic signal equipment
- 8. Disaster prevention / crime prevention equipment
- 9. Data-processing equipment exerting influence on public
- 10. Application of similar complexity and/or reliability requirements to the applications listed in the above.

NOTICE

1. CLEANING (ULTRASONIC CLEANING)

To perform ultrasonic cleaning, observe the following conditions.

Rinse bath capacity : Output of 20 watts per liter or less.

Rinsing time : 5 min maximum.

Do not vibrate the PCB/PWB directly.

Excessive ultrasonic cleaning may lead to fatigue destruction of the lead wires.

2. CAPACITANCE CHANGE OF CAPACITORS

Class 1 capacitors

Capacitance might change a little depending on a surrounding temperature or an applied voltage. Please contact us if you use for the strict time constant circuit.

· Class 2 and 3 capacitors

Class 2 and 3 capacitors like temperature characteristic B, E and F have an aging characteristic, whereby the capacitor continually decreases its capacitance slightly if the capacitor leaves for a long time. Moreover, capacitance might change greatly depending on a surrounding temperature or an applied voltage. So, it is not likely to be able to use for the time constant circuit. Please contact us if you need a detail information.

3. PERFORMANCE CHECK BY EQUIPMENT

Before using a capacitor, check that there is no problem in the equipment's performance and the specifications.

Generally speaking, CLASS 2 ceramic capacitors have voltage dependence characteristics and temperature dependence characteristics in capacitance. So, the capacitance value may change depending on the operating condition in a equipment. Therefore, be sure to confirm the apparatus performance of receiving influence in a capacitance value change of a capacitor, such as leakage current and noise suppression characteristic.

Moreover, check the surge-proof ability of a capacitor in the equipment, if needed, because the surge voltage may exceed specific value by the inductance of the circuit.

\land ΝΟΤΕ

1.Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.

2. You are requested not to use our product deviating from this specification.

1. Application

This specification is applied to Safety Standard Certified Lead Type Disc Ceramic Capacitors Type RA used for General Electric equipment.

Type RA is Safety Standard Certified capacitors of Class X1,Y1.

Do not use these products in any automotive power train or safety equipment including battery chargers for electric vehicles and plug-in hybrids.

Approval standard and certified number

	Standard number	*Certified number	AC Rated volt. V(r.m.s.)
UL/cUL	UL60384-14	E37921	
ENEC (VDE)	EN60384-14	40043033	X1:440 Y1:300
CQC	IEC60384-14	CQC16001138225	

Above Certified number may be changed on account of the revision of standards and the renewal of certification.

2. Rating

2-1. Operating temperature range	-40 ~ +125°C

2-2. Rated Voltage X1:AC440V(r.m.s.) Y1:AC300V(r.m.s.)

2-3. Part number configuration

ex.) <u>DE1</u>	B3	RA	471	K	A4	B	P01F
Product	Temperature	Туре	Capacitance	Capacitance	Lead	Packing	Individual
code	characteristic	name		tolerance	code	style code	specification

Product code
 DE1 denotes X1,Y1 class .

• Temperature characteristic

Code	Temperature characteristic
1X	SL
B3	В
E3	E

Please confirm detailed specification on [Specification and test methods].

• Type name

This denotes safety certified type name Type RA.

Capacitance

The first two digits denote significant figures ; the last digit denotes the multiplier of 10 in pF. ex.) In case of 471.

$$47 \times 10^1 = 470 \text{pF}$$

• Capacitance tolerance Please refer to [Part number list].

• Lead code

Code	Lead style
A*	Vertical crimp long type
J*	Vertical crimp short type
N*	Vertical crimp taping type
. Diagon refer to	[Dort number list]

* Please refer to [Part number list]

Packing style code

 g olylo oodo	
Code	Packing type
В	Bulk type
А	Ammo pack taping type

• Individual specification

In case part number cannot be identified without 'individual specification', it is added at the end of part number.


ona or parenambon	
Code	Specification
	 Rated voltage : X1:AC440V(r.m.s.)
	Y1:AC300V(r.m.s.)
P01F	 Halogen free
FUIF	(Br ≤ 900ppm, Cl ≤ 900ppm Br + Cl ≤ 1500ppm
	Br + Cl ≤ 1500ppm
	CP wire


Note) Murata part numbers might be changed depending on lead code or any other changes. Therefore, please specify only the type name(RA) and capacitance of products in the parts list when it is required for applying safety standard of electric equipment.


3. Marking

Type name	: RA
Nominal capacitance	: Actual value(under 100pF)
	3 digit system(100pF and over)
Capacitance tolerance	: Code
Class code and Rated voltage mark	: X1 440~
C C	Y1 300~
Manufacturing year	: Letter code(The last digit of A.D. year.)
Manufacturing month	: Code
	Feb./Mar. $\rightarrow 2$ Aug./Sep. $\rightarrow 8$
	Apr./May \rightarrow 4 Oct./Nov. \rightarrow O
Company name ande	· Gut (Mada in Theiland)
Company name code	: CM15 (Made in Thailand)
	(Example)
	🔶 RA 471K

 $$$X1 440 $$\times$ $$Y1 300 $$\sim$ $$5D $$ $$CM15$$









5. S	pecification and	I test methods						
No.	lter			cification	Test method			
1	Appearance and dimensions		rance and dimensions No marked defect on appearance form and dimensions.		The capacitor should be inspected by naked eyes			
				nsions. [Part number list].	for visible evidence of defect.			
2	Marking		To be easily le		Dimensions should be measured with slide calipers The capacitor should be inspected by naked eyes.			
2	Marking Dielectric	Between lead	No failure.	ຊເມເຣ.	The capacitor should not be damaged when			
3	strength	wires	No failure.		AC4000V(r.m.s.)<50/60Hz> is applied between the lead wires for 60 s.			
		Body insulation	No failure.		First, the terminals of the capacitor should be connected together.			
					closely wrapped around the body of the capacitor to the distance of about 3 to 6mm from each terminal. Then, the capacitor should be inserted into a container filled with metal balls of about 1mm diameter. Finally, AC4000V (r.m.s.)<50/60Hz> is applied for 60 s between the capacitor lead wires and metal			
4	Insulation Resista	nce (I.R.)	10 000MΩ min.		balls. The insulation resistance should be measured with DC500±50V within 60±5 s of charging.			
					The voltage should be applied to the capacitor			
F	Capacitance		Within analiti	d toloronoo	through a resistor of $1M\Omega$.			
5	Capacitance Dissipation Factor		Within specified tolerance.		The capacitance should be measured at 20°C with 1±0.1kHz and AC1±0.2V(r.m.s.) max			
υ	וואסויאסויאסויאסויאסייט דמטנטר דמטואסייט דמט	(D.F.)	2.5% max.		The dissipation factor should be measured at 20°C with 1±0.1kHz and AC1±0.2V(r.m.s.) max			
7	Temperature characteristic		Char. SL : +350 to -1000 ppm/°C (Temp. range : +20 to +85°C) Char. B : Within ±10 % Char. E : Within +20/-55% (Temp. range : -25 to +85°C)		The capacitance measurement should be made at each step specified in Table.			
				Step	1 2 3 4 5			
				Temp.(°C)	20±2 -25±2 20±2 85±2 20±2			
8	8 Active flammability		The cheese-cl on fire.	oth should not be	The capacitors should be individually wrapped in at least one but more than two complete layers of cheese-cloth. The capacitor should be subjected to 20 discharges. The interval between successive discharges should be 5 s. The UAc should be maintained for 2min after the last discharge. $s_{1} = \frac{r}{r_{r}} = \frac{L_{1}}{c_{2}} = \frac{L_{2}}{c_{3}} = \frac{R}{c_{t}} = \frac{r}$			
					C1,2 : 1μ F±10%, C3 : 0.033μ F±5% 10kV L1 to L4 : $1.5m$ H±20% 16A Rod core choke R : 100Ω ±2%, Ct : 3μ F±5% 10kV UAc : UR ±5% UR : Rated voltage Cx : Capacitor under test F : Fuse, Rated 10A Ut : Voltage applied to Ct			
					time			

			Reference only	
No.	Item		Specification	Test method
9	Robustness of terminations	Tensile	Lead wire should not cut off. Capacitor should not be broken.	Fix the body of capacitor, a tensile weight gradually to each lead wire in the radial direction of capacitor up to 10N and keep it for 10 ± 1 s.
		Bending	-	With the termination in its normal position, the capacitor is held by its body in such a manner that the axis of the termination is vertical; a mass
				applying a force of 5N is then suspended from the end of the termination. The body of the capacitor is then inclined,
				within a period of 2 to 3 s, through an angle of approximately 90° in the vertical plane and then returned to its initial position over the same period
				of time; this operation constitutes one bend. One bend immediately followed by a second bend in the opposite direction.
10	Vibration	Appearance	No marked defect.	The capacitor should be firmly soldered to the
	resistance	Capacitance	Within the specified tolerance.	supporting lead wire and vibration which is 10 to 55Hz in the vibration frequency range,1.5mm in
		D.F.	2.5% max.	total amplitude, and about 1min in the rate of vibration change from 10Hz to 55Hz and back to 10Hz is applied for a total of 6 h; 2 h each in 3 mutually perpendicular directions.
11	Solderability of lead	ds	Lead wire should be soldered	The lead wire of a capacitor should be dipped into a
			With uniformly coated on the axial direction over 3/4 of the circumferential direction.	ethanol solution of 25wt% rosin and then into molten solder for 2±0.5 s. In both cases the depth of dipping is up to about 1.5 to 2.0mm from the root of lead wires. Temp. of solder :
				245±5°C Lead Free Solder (Sn-3Ag-0.5Cu)
12	Soldering effect (Non-preheat)	Appearance Capacitance	No marked defect. Within ±10%	Solder temperature: 350±10°C or 260±5°C Immersion time : 3.5±0.5 s
		change I.R. Dielectric	1 000MΩ min. Per item 3	(In case of 260±5°C : 10±1 s) The depth of immersion is up to about 1.5 to 2.0mm from the root of lead wires.
		strength		Thermal Capacitor
				1.5 to 2.0mm Molten solder
				Pre-treatment : Capacitor should be stored at 125±2°C for 1 h, and apply the AC4000V(r.m.s.) 60s then placed a * ¹ room condition for 24±2 h before initial measurements.
				(Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
13	Soldering effect	Appearance	No marked defect.	First the capacitor should be stored at 120+0/-5°C
	(On-preheat)	Capacitance change	Within ±10%	for 60+0/-5 s. Then, as in figure, the lead wires should be
		I.R.	1 000MΩ min.	immersed solder of 260+0/-5°C up to 1.5 to 2.0mm
		Dielectric strength	Per item 3	from the root of terminal for 7.5+0/-1 s.
				insulating 1.5 1.5 1.5 1.6 1.6 1.6 Molten solder
				Pre-treatment : Capacitor should be stored at 125±2°C for 1 h, and apply the AC4000V(r.m.s.) 60s then placed a
				* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to
* ¹ "roc	om condition" Tempe	rature: 15 to 35°	 C, Relative humidity: 45 to 75%, Atm	2 h at *1room condition. hospheric pressure: 86 to 106kPa
SD/	\02E			

NI-			Reference only	and a s
No.	Item		Specification	Test method
14	Flame test		The capacitor flame discontinue	The capacitor should be subjected to applied flame
			as follows.	for 15 s. and then removed for 15 s until 5 cycle.
				Capacitor
			Cycle Time	16 Flame
ľ			1 to 4 30 s max.	
			5 60 s max.	
ľ			5 00 s max.	is A start
ļ				Gas Burner
15	Passive flammabilit	V	The burning time should not be	The capacitor under test should be held in the flame
-		,	exceeded the time 30 s.	in the position which best promotes burning.
ſ			The tissue paper should not	Time of exposure to flame is for 30 s.
ļ			ignite.	
				Length of flame : 12±1mm
ļ				Gas burner : Length 35mm min. Inside Dia. 0.5±0.1mm
ſ				Outside Dia. 0.9mm max.
I				Gas : Butane gas Purity 95% min.
I				
I				↓ Capacitor
I				About 8mm
ſ				Gas hurner -> Flame
I				Gas burner — Flame 45° 200±5mm
ſ				<u> </u>
l				
ſ				\wedge
I				About 10mm thick board
4.0	1.	A		
16	Humidity	Appearance	No marked defect.	Set the capacitor for 500±12 h at 40±2°C in 90 to
I	(Under steady	Capacitance	Char. SL : Within ±5%	95% relative humidity.
l	state)	change	Char. B : Within ±10%	Pre-treatment : Canacitar should be stored at
ľ			Char. E : Within ±15%	Pre-treatment : Capacitor should be stored at $125+2^{\circ}$ C for 1 b, and apply the
I		D.F.	Char. SL : 2.5% max.	125±2°C for 1 h, and apply the AC4000V(r.m.s.) 60s then placed at
ſ			Char. B, E : 5.0% max.	* ¹ room condition for 24±2 h
I		I.R.	3000MΩ min.	before initial measurements.
I		Dielectric	Per item 3	(Do not apply to Char. SL)
ſ		strength		Post-treatment : Capacitor should be stored for 1 to
ļ		_		$2 \text{ h at } *^1 \text{ room condition.}$
17	Humidity loading	Appearance	No marked defect.	Apply AC440V(r.m.s.) for 500±12 h at 40±2°C in
ſ		Capacitance	Char. SL : Within ±5%	90 to 95% relative humidity.
		change	Char. B : Within ±10%	
l	1		Char. E : Within ±15%	Pre-treatment : Capacitor should be stored at
			Char. SL : 2.5% max.	125±2°C for 1 h, and apply the
		D.F.	Onal. OL . 2.370 max.	
		D.F.	Char. B, E : 5.0% max.	AC4000V(r.m.s.) 60s then placed at
		D.F. I.R.		*1room condition for 24±2 h
			Char. B, E : 5.0% max.	* ¹ room condition for 24±2 h before initial measurements.
		I.R.	Char. B, E : 5.0% max. 3000MΩ min.	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL)
		I.R. Dielectric	Char. B, E : 5.0% max. 3000MΩ min.	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to
		I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
"roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min.	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
"roc	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
"roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	*1room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at *1room condition.
⁻¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roc	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roc	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
¹ "roo	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.
	om condition" Tempe	I.R. Dielectric strength	Char. B, E : 5.0% max. 3000MΩ min. Per item 3	* ¹ room condition for 24±2 h before initial measurements. (Do not apply to Char. SL) Post-treatment : Capacitor should be stored for 1 to 2 h at * ¹ room condition.

N 1	•.		Reference only	/ 			-		
No. 18	Life Item	-	Specification No marked defect.		mpulse			nethod	
10		Appearance Capacitance	Within ±20%	E	ach in	dividua	al capacitor s		ubjected to a e capacitors
		change I.R.	3000MΩ min.				life test.	es. men m	e capacitors
		Dielectric	Per item 3						
		strength			10 9	(%)		ront time (T1) =	
					5	/II	\rightarrow '	îme to half-value	$e(12) = 50 \mus$
					30 0 -	4 1			
						뛰		t	
							T2		
				Т	he cap	bacitor	s are placed	in a circula	ting air oven
					•		1000 h.		
									temperature of 50% max
							e test, the ca		
									ating voltage
							iency, exception		each hour r.m.s.) for 0.1 :
				"		aye is		AC1000V(1.11.3.) 101 0.1 3
				F	Pre-trea	atment	: Capacito		
								for 1 h, and	
								ondition for	s then placed a 24+2 h
							before in	itial measu	rements.
				-)oct +	otm -		apply to Ch	
				1	-ost-tre	aimen	t: Capacito 24+2 h a	r should be t * ¹ room co	
19	Temperature and	Appearance	No marked defect.				should be su	ubjected to	5 temperature
	immersion cycle	Capacitance	Char. SL : Within ±5%	С	ycles,	then c	onsecutively	to 2 immer	sion cycles.
		change	Char. B : Within ±10% Char. E : Within ±20%	<	Tempe	erature	cycle>		
		D.F.	Char. SL : 2.5% max.	_		Step	Tempera	ture(°C)	Time
			Char. B, E : 5.0% max.			1	-40+		30 min
		I.R.	3000MΩ min.			2	Room		3 min
		Dielectric	Per item 3			3 4	+125 Room		30 min 3 min
		strength				4	Room		· · · · · · · · · · · · · · · · · · ·
				<	Immer	sion c	ycle>	Cycle tim	e:5 cycles
					Step	Temp	perature(°C)	Time	Immersion
					-		. ,		water Clean
					1	+(65+5/-0	15 min	water
					2		0±3	15 min	Salt
									water e:2 cycles
								Cycle IIII	e.z cycles
				F	Pre-trea	atment	: Capacito		
									d apply the s then placed a
								ondition for	
								itial measu	
) o ot tra	atmon		apply to Ch	
					Post-life	atmen	t: Capacito 24+2 h a	at * ¹ room co	
¹ "roc	om condition" Temper	rature: 15 to 35°	C, Relative humidity: 45 to 75%, Atr	nosp	heric p	oressu			
	402E								






Unit : mm

	1	T	
Item	Code	Dimensions	Remarks
Pitch of component	Р	25.4±2.0	
Pitch of sprocket hole	P0	12.7±0.3	
Lead spacing	F	10.0±1.0	
Length from hole center to lead	P1	7.7±1.5	
Body diameter	D	Please refer to [Part number list].	
Deviation along tape, left or right	ΔS	0±2.0	They include deviation by lead bend .
Carrier tape width	W	18.0±0.5	
Position of sprocket hole	W1	9.0±0.5	Deviation of tape width direction
Lead distance between reference and bottom planes	H0	18.0± ^{2.0}	
Protrusion length	Q	+0.5~-1.0	
Diameter of sprocket hole	φD0	4.0±0.1	
Lead diameter	φd	0.60±0.05	
Total tape thickness	t1	0.6±0.3	They include hold down tape thickness.
Total thickness, tape and lead wire	t2	1.5 max.	
Deviation across tape, front	∆h1	2.0 max.	
Deviation across tape, rear	∆h2		
Portion to cut in case of defect	L	0 11.0± _{1.0}	
Hold down tape width	WO	11.5 min.	
Hold down tape position	W2	1.5±1.5	
Coating extension on lead	е	Up to the end of crimp	
Body thickness	Т	Please refer to [Part number list].	

ETP1N401A



16/16

EU RoHS and Halogen Free

This products of the following crresponds to EU RoHS and Halogen Free

(1) RoHS

EU RoHs 2011/65/EC compliance

maximum concentration values tolerated by weight in homogeneous materials •1000 ppm maximum Lead

- •1000 ppm maximum Mercury
- •100 ppm maximum Cadmium
- 1000 ppm maximum Hexavalent chromium
- •1000 ppm maximum Polybrominated biphenyls (PBB)
- •1000 ppm maximum Polybrominated diphenyl ethers (PBDE)

(2) Halogen-Free

The International Electrochemical Commission's (IEC) Definition of Halogen-Free (IEC 61249-2-21) compliance

- •900 ppm maximum chlorine
- •900 ppm maximum bromine
- •1500 ppm maximum total chlorine and bromine

单击下面可查看定价,库存,交付和生命周期等信息

>>Murata(村田)