SPECIFICATION CONTROL DRAWING				5026A1334
CHEMINAX	50 OHM, AWG 26, 7 S	TRANDS OF AWG 34, COAXIAL CABLE	Date Revision	4-1-11 B
		RT OF THE LATEST ISSUE OF RAYCHEM S		
CONSTRUCTION DETAILS		ELECTRICAL CH	ARACIERI	51165
DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.			50 · 0 abrea	Matha d A
		CHARACTERISTIC IMPEDANCE	50 ± 2 ohms, Method A 30.8 pF/ft. (nominal)	
.0190		CAPACITANCE	33.5 pF/ft. (maximum)	
	CONDUCTOR AWG 26, 7 Strands of AWG 34, Silver-Coated	VELOCITY OF PROPAGATION	66% (nominal)	
	High-Strength Copper Alloy	ADDITIONAL REQUIREMENTS		
159		ELECTRICAL		
	DIELECTRIC Rayolin F			
	Color - Natural	CONDUCTOR RESISTANCE	43.9 ohms/10	00 ft. (nominal)
		INSULATION RESISTANCE	10,000 megohms (minimum)	
	SHIELD		for 1000 ft.	
.076	AWG 38 Tin-Coated Copper	JACKET FLAWS		
		SPARK TEST IMPULSE TEST	1.0 kV (rms) 6.0 kV (peak)	
		VOLTAGE WITHSTAND (DIELECTRIC)	1000 volts (rms) (minimum)	
		ENVIRONMENTAL		
		FLAMMABILITY	Method C	
		HEAT SHOCK	225°C	
	JACKET Thermorad S	LOW TEMPERATURE-COLD BEND	-55°C/2.75 inch mandrel	
		VOLTAGE WITHSTAND (Post Environmental)	1000 volts (rn	ns), 1 minute
		PHYSICAL		
		INSULATION (DIELECTRIC) ELONGATION	200% (minim	(m)
		TENSILE STRENGTH	1800 lbf/in ² (n	,
		JACKET ELONGATION TENSILE STRENGTH	200% (minimum) 2000 lbf/in² (minimum)	
		JACKET THICKNESS	.010 inch (noi	
		SHIELD COVERAGE	90% (minimu	,
				,
Outer jacket color will be black (de to the part number, e.g. 5026A133 specified.				
Designate outer jacket color with a dash number in accordance with MIL-STD-681. Other codes and suffixes may be added to the part number, as necessary, to capture any additional requirements imposed by the purchase order.				
		WEIGHT	7.1 lbs/1000 f	t. (nominal)

notification to Buyer.

The TE logo, TE Connectivity, Cheminax, Raychem, Rayolin and Thermorad are trademarks.



Raychem Wire & Cable
 So1 Oakside Avenue

 Redwood City, California 94063-3800

 1-800-227-8816

 Fax: 1-650-361-6297
 THIS SPECIFICATION SHEET TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.

单击下面可查看定价,库存,交付和生命周期等信息

>>TE Connectivity(泰科)