



LOCALIZED CONTACT
PLATING AREA.

1 FINISH: 1,27µm MIN OF NICKEL ALL OVER. FROM 1µm TO 3µm OF TIN ON LOCALIZED CONTACT PLATING AREA AND 0,8µm MIN ON REMAINDER AREAS.
FINITURA: 1,27µm MIN DI NICKEL COME SOTTOSTRATO. DA 1µm A 3µm DI STAGNO SULL'AREA DI CONTATTO. 0,8µm MIN DI STAGNO SULLE AREE RIMANENTI.

2 FOR MINI APPLICATOR.
PER MINI APPLICATORE.

3 FOR APPLICATIONS IN CONNECTORS WITH MORE THAN 6 POSITIONS, THE CONTACT MUST BE LUBRICATED.
PER APPLICAZIONI IN CONNETTORI CON PIU' DI 6 VIE, IL CONTATTO DEVE ESSERE LUBRIFICATO.

| | | | |
|--|----------------------------------|---|-----------------------------|
| 1 | PHOS. BRONZE BRONZO FOSFOROSO | 2 | 282618-1 |
| FINITURA / COLORE (FINISH / COLOUR) | | NUMERO (PART NUMBER) | |
| CUSTOMER DWG. FOR REFERENCE ONLY | | DISEGNO PER CLIENTE SOLO PER RIFERIMENTO | |
| THIS DRAWING IS UNPUBLISHED | | RELEASE FOR PUBLICATION 19 | |
| © COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA ALL INTERNATIONAL RIGHT RESERVED AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENT AND/OR PATENT PENDING | | | |
| TOLLERANZE SE NON DIVERSAMENTE SPECIFICATO (TOLERANCES, UNLESS OTHERWISE SPECIFIED) | | DIAM. ISOLANTE (INS. DIA RANGED) | RANGO FILO (WIRE RANGES) |
| ± .005 | | 040-.056 inch 1,0/1,4 mm. | 22/26 AWG 0,32/0,13 mm² |
| ANGOLI (ANGLES) | | SCALA (SCALE) | |
| -- | | 6:1 | |
| AMP AMP ITALIA S.p.A. Corso Feltrina, 15 COLLEGNO (TORINO) | | | |
| DESCRIZIONE (DESCRIPTION) | | | |
| FFC PIN CONTACT | | | |
| REV | REVISIONI (REVISION RECORD) | LOC | FOGLIO (SHEET) |
| 0 | FIRST ISSUE | IA3C-282618 C | 1 OF 1 |

| | | | |
|---|--|-------------|--|
| C | ADDED NOTE ET00-0061-95 | 05 FEB 1996 | ANGOLI (ANGLES) |
| B | REDRAWN BY CAD & REVISED ET00-0004-95 | 03 FEB 1995 | DIS (DR) Marco Scamporrin 20 JUL 94 |
| A | RELEASED FOR PRODUCTION ET00-0246-94 | 14 DEC 1994 | CONT (CHR) Riccardo Cantore 20 JUL 94 |
| 0 | FIRST ISSUE | S.M. | APP (APP.) |

DISTRIBUTIONE
(PRINT DIST.)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)