

Document No	TRLF-060S009F
Issued date	2024/8/8
page	1/8

### 1. Scope

This specification applied to the products of Lead-Free current sensing resistor of metal plate for Lead-Free RLF series manufactured by TA-I TECHNOLOGY CO.,LTD.

### 2. Type Designation

 RLF06
 F
 E
 C
 (M)
 R001

Series No.	Tolerance	Packaging	Power	Metal	Resistance
06:0612	F= ±1%	E= Embossed	S= 0.5W	M= MnCu	e.g.
(F=4-Wire)	G= ±2%		C= 1W		R001=1mΩ
	J= ±5%				R50M=0.5mΩ

#### 3. Features

Туре	RLF 06
Size	0612
Power Rating	0.5W 1W
Resistance Value	$0.5 \mathrm{m}\Omega \sim 5 \mathrm{m}\Omega$
Operation Temperature Range	-55°C~+170°C
TCR	± 100ppm/°C
Tolerance	±1% \ ±2% \ ±5%
Insulation Resistance	Over 100MΩ
Maximum Working Voltage(V)	$(P*R)^{1/2}$


<sup>\*</sup> Note: The specifications and characteristics of this product are not suitable for series and parallel use.




Document No	TRLF-060S009F
Issued date	2024/8/8
page	2/8

### 4. Construction and Dimension

#### 4.1 Construction



### 4.2 Dimension



Series	L	W	Н	T	A	В	Material
RLF06	1.65 ±0.2	3.05 ±0.25	0.65 ±0.2	0.4 ±0.25	0.51 ±0.13	0.34 ±0.13	Strip: Alloy Over Coating: molding Compound UL-94V-0 grade

Note\* Patent Pending

Unit: mm

### **Marking**

For RLF06

No markings, only white coating.



TA-I TECHNOLOGY CO., LTD



Document No	TRLF-060S009F
Issued date	2024/8/8
page	3/8

### **5.** Reliability Tests


<b>Test Items</b>	Reference	Condition of Test	Test Limits
Temperature Coefficient of Resistance	IEC60115-1 4.8	+25 ~ 125°C	Refer 4.0
High Temperature Exposure (Storage)	AEC-Q200-REV E-Test 3 MIL-STD202 Method 108	T=170°C,1000hrs, Measurement at 24hrs after test conclusion.	< ±(1%+0.0005Ω)
Temperature Cycling	AEC-Q200-REV E-Test 4 JESD22 Method JA-104	1000Cycle (-55°C to 155°C), Measurement at 24hrs after test conclusion.	< ±(1%+0.0005Ω)
Short time overload	5 X rated power for 5s.	$<\pm(0.5\%\pm0.0005\Omega)$	
Biased Humidity	AEC-Q200-REV E-Test 7 MIL-STD-202 Method 103	10% Rated power at 85°C, RH:85%,1000Hrs, Measurement at 24hrs after test conclusion.	< ±(1%+0.0005Ω)
Operation life	AEC-Q200-REV E-Test 8 MIL-STD-202 Method 108	1000 hours TA=70°C at 100% rated power. 90min ON and 30 min OFF. Measurement at 24±4 hours after test conclusion.	< ±(2%+0.0005Ω)
External Visual	AEC-Q200-REV E-Test 9 MIL-STD-883 Method 2009	Electrical test not required. Inspect device construction, marking and workmanship.	
Physical Dimension	AEC-Q200-REV E-Test 10 JESD22 Method JB-100	Verify physical dimensions to the applicable device detail specification. Note: User(s) and Suppliers spec. Electrical test not required.	
Resistance to Solvents	AEC-Q200-REV E-Test 12 MIL-STD-202 Method 215	a: Isopropyl Alcohol: Mineral Spirits = 1:3 b: Terpene Defluxer c: Deionized water: Propylene Glycol Monomethyl Ether: monoethanolamine = 42:1:1	Marking and protective layer cannot be detached
Resistance to Soldering Heat	AEC-Q200-REV E-Test 15 MIL-STD-202 Method 210	T=260+/-5°C solder,10+/-1 sec dwell.	$< \pm (0.5\% + 0.0005\Omega)$
Mechanical Shock	AEC-Q200-REV E-Test 13 MIL-STD-202 Method 213	100g's, Normal duration is 6ms, half sine shock pulse.	<±(0.5%+0.0005Ω)
Resistance to vibration	AEC-Q200-REV E-Test 14 MIL-STD-202 Method 204	5g's for 20min.12cycles, 10-2000Hz.	<±(0.5%+0.0005Ω)
Board Flex	AEC-Q200-REV E-Test 21 AEC-Q200-005	Min 2mm deflection ,60sec.	<±(0.5%+0.0005Ω)
Flammability	AEC-Q200-REV E-Test 20 UL-94	V-0 or V-1 are acceptable, Electrical test not required.	V-0
ESD	AEC-Q200-REV E-Test 17 AEC-Q200-002 or ISO/DIS 10605	verify the voltage setting at 500V.	<±(1%+0.0005Ω)
Solderability	AEC-Q200-REV E-Test 18 J-STD-002	aging 4 hours at 155 °C dry heat Lead-free solder bath at 235±3 °C Dipping time: 3±0.5 seconds.	> 95% area covered with tin



Document No	TRLF-060S009F					
Issued date	2024/8/8					
page	4/8					

Terminal Strength (SMD)	AEC-Q200-REV E-Test 22 AEC-Q200-006	Force of 1.8kg for 60 seconds. Remarks: 0201-NA	<±(1%+0.0005Ω)
Low Temperature Storage	EC60115-1 4.23.4 JIS C 5201-1 4.23.4	-55°C, 1000hrs	<±(1%+0.0005Ω)

### **5.1 Derating Curve**



### **5.2 Rated Current**

The rated current is calculated by the following formula:


$$I = \sqrt{P \div R}$$

I: Rated Current (A)

P: Rated Power (W)

R: Resistance Value ( $\Omega$ )

#### 6. Recommended Solder Pad Dimension



Series	Resistance Range(m $\Omega$ )	A	В	С	L	F
RLF06	0.5~5	2.3±0.1	1.0±0.1	0.8±0.1	0.7±0.1	0.4±0.1

Note: \*Copper foil minimum thickness of PCB: 2oz

Unit: mm





Document No	TRLF-060S009F
Issued date	2024/8/8
page	5/8

### 7. Number of Package

4000 Pieces / Package

### 8. Packaging






Packing	Type	W	P	Е	F	$P_0$	$10P_0$	P2	D	D1	$A_0$	$\mathbf{B}_0$	$K_0$	t
Emboss	RLF06	8.00	4.00	1.75	3.50	4.00	40.00	2.00	1.50	1.00	1.77	3.40	1.04	0.22
Tolerance	KLF00	±0.10	±0.10	±0.10	±0.05	±0.10	±0.20	±0.05	+0.10	±0.10	±0.10	±0.10	±0.10	±0.05

Unit: mm

### 9. Reel Specification



Unit: mm

Series	$\phi$ A	$\phi$ B	φC	W	Т
RLF06	178.0 ±2.0	60.0 ±1.0	13.0 ±1.0	9.0 ±1.0	11.5 ±1.0


# TA-I TECHNOLOGY CO., LTD



Document No	TRLF-060S009F	
Issued date	2024/8/8	
page	6/8	

### 10. Peeling Strength of Top Cover Tape

Test Condition: 0.1 to 0.7 N at a peel-off speed of 300 mm  $\!/$  min.



### 11. Storage Conditions

Temperature: 5°C~35°C, Humidity:40%~75%

MSL level 1


### 12. Shelf Life

2 years from manufacturing date.



Document No	TRLF-060S009F	
Issued date	2024/8/8	
page	7/8	

### **13. Recommend IR – Reflow profile** (solder: Sn96.5 / Ag3 / Cu0.5)



Allowed Re-flow times: 3 times

Remark: To avoid discoloration phenomena of chip on terminal electrodes,

please use N2 Re-flow furnace.

Iron Solder:350±10°C, 3+1/-0 sec, 1 time

Profile Feature	Lead (Pb)-Free Assembly	
Average ramp-up rate (Tsmax to Tp)	3°C / second max.	
Preheat - Temperature Min (Ts <sub>min</sub> ) - Temperature Max (Ts <sub>max</sub> ) - Time (Ts <sub>min</sub> to Ts <sub>max</sub> ) (ts)	150°C 200°C 60 -120 seconds	
Time maintained above:  - Temperature (T <sub>L</sub> )  - Time (T <sub>L</sub> )	217°C 60-150 seconds	
Peak Temperature (Tp)	260°C	
Time within $^{+0}_{-5}$ °C of actual Peak Temperature $(tp)^2$	10 seconds	
Ramp-down Rate	6°C/second max.	
Time 25°C to Peak Temperature	8mimutes max.	



Document No	TRLF-060S009F	
Issued date	2024/8/8	
page	8/8	

#### 14. ECN

Engineering Change Notice: The customer will be informed with ECN if there is significant modification on the characteristics and materials described in Approval Sheet.

### 15. Manufacturing Country & City

TA-I TECHNOLOGY CO., LTD. (Taiwan- Tao Yuan)

Tel: (+886) 3-3246169 Fax: (+886) 3-3246167

### Associated companies

(1)TA-I TECHNOLOGY (SU ZHOU) CO., LTD. (China – Su Zhou)

Tel: (+86) 512-63457879 Fax: (+86) 512-63457869

(2)TA-I TECHNOLOGY ELECTRONIC (DONGGUAN) CO., LTD. (China –Dongguan)

Tel: (+86) 769-8339-4790 $\sim$ 3 Fax: (+86) 769-8339-4794

(3)FORTUNE TASK ENTERPRISES LIMITED (China – Dongguan)

Tel: (+86) 769-8339-4790 $\sim$ 3 Fax: (+86) 769-8339-4794

(4)TAI OHM ELECTRONICS (M) SDN. BHD. (Malaysia –Penang)

Tel: (+60)4- 3900480 Fax: (+60)4-3901481

# 单击下面可查看定价,库存,交付和生命周期等信息

# >>TA-I(大毅)