

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT -- By -- ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
HB	—	RELEASE	10-JUN-14	K.T	B.F









DIAGRAM DIMENSION	TOLERANCE
0.99mm MAX.	±0.1mm
1 - 2.99mm	±0.2mm
3mm MIN.	±0.3mm




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ±-
	1 PLC ±-
	2 PLC ±-
	3 PLC ±-
	4 PLC ±-
	ANGLES ±-
MATERIAL	FINISH
-	-

DWN KUN TANG	STE TE Connectivity			
CHK BO FU				
APVD SUNNY ZHANG	NAME			
PRODUCT SPEC	PCF-112D2M-A1/B1 CUSTOMER DRAWING			
APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
WEIGHT	A3	00779	C= 1721159	-
CUSTOMER DRAWING	SCALE	SHEET	REV	
	3:1	1 OF 2	A	


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT -- By -- ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
HB	--	P	LTR	DESCRIPTION	DATE	DWN	APVD
		--		SEE SHEET 1	--	--	--



LOT NO. ONE CHARACTER FOR LINE IDENTIFICATION

MARKING FIGURE I



LOT NO. ONE CHARACTER FOR LINE IDENTIFICATION


MARKING FIGURE II

OBSOLETE	1721159-8	GIGURE II	107-79054	PCF-105D2M-D1	PCF-105D2M-D1	5V	h
OBSOLETE	1721159-7	GIGURE II	107-79054	PCF-105D2M-C1	PCF-105D2M-C1	5V	g
ACTIVE	1721159-6	GIGURE II	107-79054	PCF-105D2M-A1	PCF-105D2M-A1	5V	f
OBSOLETE	1721159-5	GIGURE II	107-79054	PCF-105D2M-B1	PCF-105D2M-B1	5V	e
---	---	GIGURE I	107-79054	PCF-112D2M-D1	PCF-112D2M-D1	12V	d
---	---	GIGURE I	107-79054	PCF-112D2M-C1	PCF-112D2M-C1	12V	c
OBSOLETE	1721159-2	GIGURE I	107-79054	PCF-112D2M-A1	PCF-112D2M-A1	12V	b
ACTIVE	1721159-1	GIGURE I	107-79054	PCF-112D2M-B1	PCF-112D2M-B1	12V	a
PN STATUS	TE PART NO	MARKING FIGURE	PACKING SPEC	DESCRIPTION	PART A	PART B	TYPE

RELAY TYPE

NOTES

1. LOT NO. SYSTEM AS FOLLOWING:



- 2. ONE CHARACTER DISTINGUISH THE LINE IDENTITY, SUCH AS: A, B...
- 3. TERMINAL DIMENSION IS BEFORE SOLDER DIP.
- 4. FOR THE TIN-PLATING OF THE PINS:
 +0.1mm FOR WIDTH, THICKNESS AND DIAMETER.
 +0.5mm FOR LENGTH.

---	PASTIC LABLE	18
P.B.T	CASE	17
JUEW	MAGNETIC WIRE	16
EPOXY RESIN	SEAL	15
Cu ALLOY	HINGE SPRING	14
Cu ALLOY	COIL TERMINAL L	13
Cu ALLOY	COIL TERMINAL R	12
Ag ALLOY	C CONTACT	11
Ag ALLOY	M CONTACT	10
Cu ALLOY	C SPRING	9
Cu ALLOY	C TERMINAL	8
Cu ALLOY	M TERMINAL	7
P.P.S	CARD	6
P.B.T	BOBBIN	5
PBT (WHITE)	BASE	4
PBT (BLACK)		
STEEL	CORE	3
STEEL	ARMATURE	2
STEEL	YOKE	1
MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KUN TANG	TE Connectivity NAME PCF-112D2M-A1/B1 CUSTOMER DRAWING		
DIMENSIONS: mm		CHK BO FU			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SUNNY ZHANG	RESTRICTED TO		
0 PLC ±-		PRODUCT SPEC	SIZE		
1 PLC ±-		APPLICATION SPEC	CAGE CODE		
2 PLC ±-		---	DRAWING NO		
3 PLC ±-		---	1721159		
4 PLC ±-		---	SCALE		
4. ANGLES ±-		---	3:1		
MATERIAL		FINISH	SHEET		
-		-	2 OF 2		
		WEIGHT	REV		
		-	A		
		CUSTOMER DRAWING			

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)