


SEALING PLUGS CAN BE PURCHASED SEPARATELY

MASTER KEYWAY



REVISIONS				
REV	ECO	DESCRIPTION	DATE	BY APPR
A1	-	FIRST RELEASED	Mar-26-2017	Ben Tommy
A2	-	UPDATE NOTES	Jul-04-2017	Nick Tommy
A3	-	UPDATE DRAWING	Mar-20-2018	White Tommy
A4	-	MODIFY WIRE RANGE	Mar-1-2019	White Tommy

NOTES : (UNLESS OTHERWISE SPECIFIED)

- MATERIAL :
    - SHELL : THERMOPLASTIC , UL94 V-0.
    - INSERT : THERMOPLASTIC , UL94 V-0.
    - COUPLING NUT : THERMOPLASTIC , UL94 V-0.
    - O-RING : NBR OR SILICONE RUBBER.
    - WASHER: SILICONE RUBBER.
    - END CAP : THERMOPLASTIC , UL94 V-0.
    - PLASTIC RING : THERMOPLASTIC , UL94 V-0.
    - WIRE SEAL : SILICONE RUBBER.
  - SPECIFICATIONS :
    - 2.1 RATED CURRENT : 45A (MAX).
    - 2.2 RATED VOLTAGE : 600V (AC/DC).
    - 2.3 OPERATING TEMPERATURE : SEE TABLE.
    - 2.4 DIELECTRIC WITHSTANDING VOLTAGE : LESS THAN 2 MILLIAMPS CURRENT LEAKAGE@2000 VOLTS AC.
    - 2.5 INSULATION RESISTANCE : 5000 MEGOHMS MIN.
    - 2.6 IP-CLASS : IP67 AND IP69K IN THE MATED CONDITION, WIRE SEALS FULLY POPULATED.
    - 2.7 MATING CYCLES DURABILITY : 500 CYCLES MIN.
    - 2.8, ROHS COMPLIANT.
  - SUITABLE CONTACTS : 8# CONTACT.
  - ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
  - CONTACT SIZE AND REAR SEAL WIRE RANGE :
- | CONTACT SIZE | MIN. INSUL O.D. | MAX. INSUL O.D. | WIRE RANGE |
|--------------|-----------------|-----------------|------------|
| 8#           | φ2.8mm          | φ4.1mm          | 12AWG      |

KEY	PART NUMBER	
	-40°C ~ 105°C	-40°C ~ 125°C
N	RTS6BS16N4PH-EC	RTS6BS16N4PH-EC03

QUANTITY	PART NUMBER	DESCRIPTION	ITEM
		<b>MATERIALS LIST</b>	
<p>UNLESS OTHERWISE SPECIFIED</p> <p>1) All dimensions are in metric (mm).</p> <p>2) Dimensions are in inches.</p> <p>3) PL DEC 2018</p> <p>4) PL DEC 2018</p> <p>5) Note reference =</p>			
<p>SIGNATURES</p> <p>DATE</p> <p>16/1-2019</p> <p>16/1-2019</p> <p>16/1-2019</p>		<p>Amphenol</p> <p>Sine Systems - www.amphenol-sine.com</p> <p>44724 Morley Drive</p> <p>Clinton Township, MI 48036</p>	
<p>CUSTOMER</p> <p>DATE</p> <p>16/1-2019</p>		<p>ECO-MATE PLUG, SIZE 16, 4POS, PIN, END CAP</p>	
<p>PROCESS SPECIFICATIONS:</p> <p>THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, DIMENSIONS, AND MATERIALS ARE THE PROPERTY OF AMPHENOL CORPORATION. NO RIGHTS OR WARRANTIES ARE MADE BY AMPHENOL CORPORATION. DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.</p>		<p>SIZE TYPE</p> <p>B C-</p> <p>RTS6BS16N4PH-ECX</p> <p>SCALE NONE</p>	
<p>NEXT ASSY:</p>		<p>REVISION</p> <p>A4</p>	

单击下面可查看定价，库存，交付和生命周期等信息

[>>Amphenol\(安费诺\)](#)