


ļ	REVISIONS									
	REV	ECO	DESCRIPTION	DATE	BY	APPR				
	B1	-	RELEASED DRAWING	JAN-18-2014	ARROW	TOMMY				









P/N	SHIELDING RING	CABLE RANGE
RT0L-14CG-C1	WITHOUT	Ø6-Ø10.5mm
RT0L-14CG-C2	WITHOUT	Ø8.5-Ø12.5mm
RT0L-14CG-S1	WITH	Ø6-Ø10.5mm
RT0L-14CG-S2	WITH	Ø8.5-Ø12.5mm

RT0L-14CG-S2 WITH Ø8.5-Ø12.5mm

QUANTITY PART NUMBER		2	DESCRIPTION		ITEM -	1-	
			MAT	ERI	ALS LIST		H
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm).		SIGNATURES		DATE	Amphenol		
2) Tolerances are	as follows:	DRAWN:	ARROW	JAN-17-2014	Amphenol	_	
1 PL DEC ±0.30 2 PL DEC ±0.15 3 PL DEC ±0.08	Fractions ±1/64 Angles ±1°	CHECKED:			Sine Systems - www.amphenol-sine.cor 44724 Morley Drive Clinton Township, MI 48036		
3) Note reference		ENGINEER:					
MATERIAL SPECIFICA	TIONS:	APPROVAL:					ł
	CUSTOMER:			•	FCO-MATE CORD GRIP		ı

THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DAT SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION OR RIGHT OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.

ECO-MATE, CORD GRIP SIZE 14

B C - RTOL-14CG-xx B1

ECO-MATE, CORD GRIP, SIZE 14

RT0L-14CG-xx

REV: B1 SH:

유

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL :

1.1. NUT: ZINC ALLOY, NICKEL PLATED.

1.2. CLAMP INSERT: THERMOPLASTIC UL94 V-0.
1.3. EMI SHIELDING RING: STAINLESS STEEL.

1.4. BACK SHELL: ZINC ALLOY, NICKEL PLATED.

1.5. O-RING: SILICONE RUBBER.

1.6. GROMMET: RUBBER.

2. ROHS COMPLIANT.

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

单击下面可查看定价,库存,交付和生命周期等信息

>>Amphenol(安费诺)