

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant or per IEC 61249-2-21 for Halogen-Free compliant.

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
AX1		INITIAL REVISION	10/08/2018	Chenny Yeh
AX2		ADD PACKING DRAWING	12/09/2019	Chenny Yeh
AX3		ADD 16AWG WIRE	12/24/2019	Chenny Yeh
AX4		MODIFIED P/N SYSTEM	04/14/2020	Chenny Yeh

**FOR REFERENCE ONLY**

P/N SYSTEM:

G88MPS C X X 6 X C X HR

CONTACT FINISH:

0: 100u" TIN  
3: 30u" GOLD

WIRE SIZE:






6: 15-16 AWG

VARIATION CODE:

BLANK: STANDARD

MATERIAL OPTIONS:

2: HIGH PERFORMANCE COPPER ALLOY




NOTES:

- MATERIAL:  
TERMINAL: HIGH PERFORMANCE COPPER ALLOY
- FINISH:  
TERMINAL:  
CONTACT AREA: OPTION.  
SOLDER AREA: TIN 100u" MIN  
UNDER PLATING.: Ni 50u" MIN, OVERALL.
- THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS PER DIRECTIVE 2011/65/EU FOR RoHS COMPLIANT.
- RECOMMENDED PART: HOUSING G88MPSHXX22HR

TOLERANCE		DRAWN		APPROVALS		DATE		TITLE		WIRE SIZE		MAX INSULATION	
X.										15-16	2.30		
X.X	±0.30	DESIGNED	Chenny Yeh			04/14/2020		MICRO POWER SUPER CONNECTOR 3.0 PITCH SOLDER TERMINAL					
X.XX	±0.20	CHECKED	Sondra Sang			04/14/2020							
X.XXX	±0.10	APPROVED	Hank Hsu			04/14/2020							
ANGULAR	±2°	DWG TYPE	CUST DWG										
UNLESS OTHERWISE SPECIFIED		PROJECT CODE	T645										

**Amphenol**<sup>®</sup>  
Amphenol Corporation  
Amphenol Taiwan Corporation



UNIT: mm  
SCALE: NA  
SIZE: A3  
SHEET: 1 OF 2








PART No: G88MPSCX6XXCXHR  
DWG No: G88MPSCX6XXCXHR  
REV: AX4

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant or per IEC 61249-2-21 for Halogen-Free compliant.

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
A	NE-20014	RELEASE TO PRODUCTION	02/27/2020	Chenny Yeh


**FOR REFERENCE ONLY**



G88MPSCX6XXCXHR	10K	8	80K
PART NO.	PCS/RELL	RELL/CARTON	PCS/CARTON

TOLERANCE	DRAWN	APPROVALS	DATE	TITLE	UNIT	SCALE	SIZE	PART No.
X.	DESIGNED	Chenny Yeh	02/27/2020	MICRO POWER SUPER CONNECTOR 3.0 PITCH SOLDER TERMINAL	mm	NA	A3	G88MPSCX6XXCXHR
X.X ±0.30	CHECKED	Sondra Sang	02/27/2020					
X.XX ±0.20	APPROVED	Hank Hsu	02/27/2020					
X.XXX ±0.10	DWG TYPE	CUST DWG	PROJECT CODE					
ANGULAR ±2°			T645					
UNLESS OTHERWISE SPECIFIED								

**Amphenol**<sup>®</sup>  
Amphenol Corporation  
Amphenol Taiwan Corporation



SHEET	2	OF	2	DWG No.	G88MPSCX6XXCXHR	REV.	A
-------	---	----	---	---------	-----------------	------	---

单击下面可查看定价，库存，交付和生命周期等信息

[>>Amphenol\(安费诺\)](#)