







SWITCHING DIODE		SOT-363 Plastic-Encapsulate Diodes				
<p>SOT-363</p>  <p>Marking :KJG</p>		<p>Features</p> <ul style="list-style-type: none"> • Fast Switching Speed • Ultra-Small Surface Mount Package • For General Purpose Switching Applications • High Conductance 				
Maximum Ratings @Ta=25°C						
Parameter		Symbol	Limit	Unit		
Peak Repetitive Peak Reverse Voltage		V_{RRM}	75	V		
Working Peak Reverse Voltage		V_{RWM}				
DC Blocking Voltage		V_R				
Forward Continuous Current		I_{FM}	300	mA		
Average Rectified Output Current		I_O	150	mA		
Non-Repetitive Peak Forward Surge Current @ t=8.3 ms		I_{FSM}	2.0	A		
Power Dissipation		P_D	200	mW		
Thermal Resistance Junction to Ambient		$R_{\theta JA}$	625	°C/W		
Operating Junction Temperature		T_J	150	°C		
Storage Temperature		T_{STG}	-55~+150	°C		
ELECTRICAL CHARACTERISTICS(T_a=25°C unless otherwise specified)						
Parameter	Symbol	Test conditions	Min	Typ	Max	Unit
Reverse voltage	$V_{(BR)}$	$I_R=2.5\mu A$	75			V
Reverse current	I_R	$V_R=75V$			2.5	μA
		$V_R=20V$			25	nA
Forward voltage	V_F	$I_F=1mA$			0.715	V
		$I_F=10mA$			0.855	
		$I_F=50mA$			1	
		$I_F=150mA$			1.25	
Total capacitance	C_{tot}	$V_R=0, f=1MHz$			2	pF
Reverse recovery time	t_{rr}	$I_F= I_R=10mA, I_{rr}=0.1 \times I_R, R_L=100\Omega$			4	ns

Typical Characteristics




SOT-363 Package Outline Dimensions



Symbol	Dimensions In Millimeters		Dimensions In Inches	
	Min	Max	Min	Max
A	0.900	1.100	0.035	0.043
A1	0.000	0.100	0.000	0.004
A2	0.900	1.000	0.035	0.039
b	0.150	0.350	0.006	0.014
c	0.100	0.150	0.004	0.006
D	2.000	2.200	0.079	0.087
E	1.150	1.350	0.045	0.053
E1	2.150	2.400	0.085	0.094
e	0.650 TYP		0.026 TYP	
e1	1.200	1.400	0.047	0.055
L	0.525 REF		0.021 REF	
L1	0.260	0.460	0.010	0.018
θ	0°	8°	0°	8°

SOT-363 Suggested Pad Layout



- Note:
1. Controlling dimension: in millimeters.
 2. General tolerance: ± 0.05 mm.
 3. The pad layout is for reference purposes only.

单击下面可查看定价，库存，交付和生命周期等信息

[>>DIOS\(迪恩思\)](#)