

## T493X227K016CH6420

T493 HRA, Tantalum, MnO2 Tantalum, HRA, 220 uF, 10%, 16 VDC, SMD, MnO2, Molded, High Reliability, C (0.01%/1000 Hrs), 150 mOhms, 7343, Height Max = 4.3mm

CATHODE (-) END VIEW	SIDE VIEW
	T / - S G S -
ANODE (+) END VIEW	BOTTOM VIEW
Termination cutou at KEMET's option either end	E Glue pad shape/design at KEMET's option

**General Information** Series T493 HRA Dielectric MnO2 Tantalum Style SMD Chip Description SMD, MnO2, Molded, High Reliability Features **High Reliability** RoHS No MARNING: Cancer and reproductive harm -Prop 65 http://www.p65warnings.ca.gov. SCIP Number 1dd2e1b8-26dd-4d52-927c-6f9d519011aa Termination Solder Coated AEC-Q200 No Component 654.04 mg Weight

Sp	ecifications	
C	apacitance	220 uF
	apacitance olerance	10%
V	oltage DC	16 VDC (85C), 10.72 VDC (125C)
	emperature ange	-55/+125°C
	ated emperature	85°C
Di	issipation Factor	12% 120Hz 25C
Fa	ailure Rate	C (0.01%/1000 Hrs)
Re	esistance	0.15 Ohms (100kHz 25C)
Le	eakage Current	35.2 uA (5min 25°C)
	esting and eliability	10 Cycles Surge Current Testing At -55C And +85C Before Weibull

È

Click here for the 3D model.

Dimensions	
Footprint	7343
L	7.3mm +/-0.3mm
W	4.3mm +/-0.3mm
Н	4mm +/-0.3mm
Т	0.13mm REF
S	1.3mm +/-0.3mm
F	2.4mm +/-0.1mm
А	3.8mm MIN
В	0.5mm +/-0.15mm
E	3.5mm REF
G	3.5mm REF
Р	1.7mm REF
R	1mm REF
Х	0.1mm +/-0.1mm

Packaging Specifications	
Packaging	T&R, 178mm
Packaging Quantity	500

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

单击下面可查看定价,库存,交付和生命周期等信息

>>KEMET(基美)