



Click here for the 3D model.

| Dimensions | |
|------------|--|
| Chip Size | 0805 |
| L | 2.03mm +/-0.38mm (0.08 in +/-0.015 in) |
| W | 1.27mm +/-0.38mm (0.05 in +/-0.015 in) |
| Т | 1.4mm MAX (0.055 in MAX) |
| В | 0.51mm +/-0.25mm (0.02 in +/-0.01 in) |

General Information Series GR900 SMD Space Style SMD Chip RoHS Yes Termination Gold Failure Rate N/A **Testing and Reliability** Mil-PRF-123 Group A Qualifications MIL-PRF-123 Group A AEC-Q200 No Shelf Life 78 Weeks MSL 1

| Specifications | | | |
|-------------------------|------------|--|--|
| Capacitance | 1000 pF | | |
| Capacitance Tolerance | 5% | | |
| Voltage DC | 100 VDC | | |
| Temperature Range | -55/+125°C | | |
| Temperature Coefficient | BX | | |

Packaging Specifications

Packaging

Bulk, Bag

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

单击下面可查看定价,库存,交付和生命周期等信息

>>KEMET(基美)