
## **KEMET Part Number: CAN19X683KAGACTU**

(CAN19X683KAGAC7800)



CAN SMD Indust 250, Ceramic, 0.068 uF, 10%, C0G, SMD Chip, MLCC, AC Rated, 1825



	Description:	SMD Chip, MLCC, AC Rated
B	Features:	Temperature Stable, Class I
	RoHS:	Yes
	Termination:	Flexible Termination
	Marking:	No
	AEC-Q200:	No
	MSL:	1
Dimensions	Specifications	

Dimensions		
Chip Size	1825	
L	4.6mm +/-0.4mm	
W	6.4mm +/-0.4mm	
Т	2mm +/-0.20mm	
В	0.7mm +/-0.35mm	

Packaging Specifications		
Packaging:	T&R, 180mm, Paper Tape	
Packaging Quantity:	500	

Specifications		
Capacitance:	0.068 uF	
Measurement Condition:	1 kHz 1.0Vrms	
Capacitance Tolerance:	10%	
Voltage AC:	250 VAC	
Dielectric Withstanding Voltage:	945 VDC	
Temperature Range:	-55/+125°C	
Temperature Coefficient:	COG	
Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC):	15%, 1kHz 1.0Vrms	
Dissipation Factor:	0.1% 1 kHz 1.0Vrms	
Aging Rate:	0% Loss/Decade Hour	
Insulation Resistance:	10 GOhms	

**General Information** 

CAN SMD Indust 250

SMD Chip

Series:

Style:

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information of otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.



47943

单击下面可查看定价,库存,交付和生命周期等信息

>>KEMET(基美)