
KEMET Part Number: PFR5203K63J13L16.5TR18

(F411JR203K063L)



PFR/F411, Film, Film/Foil Polypropylene, General Purpose, 0.02 uF, 10%, 63 VDC, 85°C, Lead Spacing = 5mm



General Information		
Series:	PFR/F411	
Dielectric:	Film/Foil Polypropylene	
Style:	Radial	
Features:	Pulse	
RoHS:	Yes	
Lead:	Wire Leads	
AEC-Q200:	No	
Miscellaneous:	An Operating Temperature Up To +105C Is Allowed Under Certain Conditions. Please Consult KEMET For Details.	

Dimensions			
L	L 7.2mm -0.5mm		
Н	8mm -0.5mm		
Т	6.5mm -0.5mm		
S	5mm +0.6/-0.1mm		
Н0	18.5mm +/-0.5mm		
F	0.5mm +/-0.05mm		
G	0.5mm NOM		

900

Packaging Quantity:

S 5mm +0.6/-0.1mm Voltage AC: 40 VAC					
F 0.5mm +/-0.05mm G 0.5mm NOM Rated Temperature: 85°C Dissipation Factor: 0.04% 1kHz, 0.07% 10kHz Insulation Resistance: 100 GOhms Packaging Specifications Max dV/dt: 1000 V/us	S	5mm +0.6/-0.1mm		Voltage AC:	40 VAC
G 0.5mm NOM Rated Temperature: 85°C Dissipation Factor: 0.04% 1kHz, 0.07% 10kHz Insulation Resistance: 100 GOhms Packaging Specifications Max dV/dt: 1000 V/us	H0	18.5mm +/-0.5mm		Voltage DC:	63 VDC
Dissipation Factor: 0.04% 1kHz, 0.07% 10kHz Insulation Resistance: 100 GOhms Packaging Specifications Max dV/dt: 1000 V/us	F	0.5mm +/-0.05mm		Temperature Range:	-55/+100°C
Packaging Specifications Insulation Resistance: 100 GOhms Max dV/dt: 1000 V/us	G	0.5mm NOM		Rated Temperature:	85°C
Packaging Specifications Max dV/dt: 1000 V/us			,	Dissipation Factor:	0.04% 1kHz, 0.07% 10kH
Inductance: 6 nH				Insulation Resistance:	100 GOhms
Packaging: T&R	Packaging Specifications			Max dV/dt:	1000 V/us
		•		Inductance:	6 nH

Specifications		
Capacitance:	0.02 uF	
Capacitance Tolerance:	10%	
Voltage AC:	40 VAC	
Voltage DC:	63 VDC	
Temperature Range:	-55/+100°C	
Rated Temperature:	85°C	
Dissipation Factor:	0.04% 1kHz, 0.07% 10kHz	
Insulation Resistance:	100 GOhms	
Max dV/dt:	1000 V/us	
Inductance:	6 nH	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.



单击下面可查看定价,库存,交付和生命周期等信息

>>KEMET(基美)