

Part Number : <u>330001003</u> Product Description : MX150 Male Terminal for Mat-Sealed or Unsealed Connectors, Tin Plating, 22 AWG, Left Reel Payoff Series Number : <u>33000</u> Status : Active Product Category : Crimp Terminals



Documents & Resources

Drawings 330001003_sd.pdf 313025040-000.pdf

Specifications AS-33000-001-001.pdf TS-33000-001-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44; 34; 33
China RoHS	©
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Charles	A - 11 - 1
Status	Active
Category	Crimp Terminals
Series	33000
Description	MX150 Male Terminal for Mat- Sealed or Unsealed Connectors, Tin Plating, 22 AWG, Left Reel Payoff
Application	Power, Wire-to-Board, Wire-to- Wire, Automotive
Comments	Left Reel Payoff
Product Name	MX150
UPC	756054586242

Electrical

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	14V DC

Physical

Durability (mating cycles max)	25
Gender	Male
Grip Code	22
Material - Metal	High Performance Alloy (HPA)
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.415/g
Packaging Type	Reel
Plating min - Mating	0.508µm
Plating min - Termination	0.508µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.65mm max.
Wire Size (AWG)	22

Wire Size mm ²	0.50
---------------------------	------

Solder Process Data

Lead-Free Process Capability	N/A
Lead-free frocess capability	IN/A

Use with Part(s)

Description	Part Number
MX150 Mat-Sealed Single Row Male Connector Assemblies	<u>33481</u>
MX150 Mat-Sealed Dual Row Male Connector Assemblies	<u>33482</u>

Application Tooling

Global

Description	Part Number
Extraction Toolkit for MX150 Connectors	<u>2002220700</u>
PremiumGrade Hand Crimp Tool for 1.50mm MX150 Blade Male Terminals, 22-18 AWG	<u>638112600</u>
Extraction Tool for MX150L, MX150, PT Bulb Socket, iGrid, SPOX, and Wire-to-Motor Terminals	<u>638131500</u>
FineAdjust Applicator for MX150 Male Terminals, 22 AWG and 0.50mm ² wire	639000600
FineAdjust Applicator for SRC Connector using MX150 (M3) Blade Terminals, 0.50mm ² CHEMINAX 2021D0309 wire	<u>639042100</u>

This document was generated on Nov 04, 2024

单击下面可查看定价,库存,交付和生命周期等信息

>>MOLEX