




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:					
mm		1:1		<p><b>molex</b></p> <p>CMC HEADER 80PIN</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>DOCUMENT NUMBER: SD-502225-001    DOC TYPE: PSD    DOC PART: 001    REVISION: A</p> <p>MATERIAL NUMBER: 502225-0801    CUSTOMER: GENERAL MARKET    SHEET NUMBER: 1 OF 2</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 2.0°									
4 PLACES ± 0.2									
3 PLACES ± 0.25									
2 PLACES ± 0.3									
1 PLACE ±									
0 PLACES ±									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
		A3-SIZE		502225		502225-0801		GENERAL MARKET	



基板穴推奨寸法 (部品実装側)  
RECOMMENDED PCB LAYOUT (COMPONENT SIDE)




注記  
NOTES

- ハウジング材料: PBT, GF30%, 黒色  
HOUSING MATERIAL: PBT, GF30%, BLACK
- 端子材料: 銅合金  
CONTACT MATERIAL: COPPER ALLOY
- 端子表面処理:  
ニッケル部: 鍍めつき  
ニール部: 鍍めつき  
下地ニッケルめつき (025, 060端子全面)  
CONTACT PLATING:  
CONTACT AREA: Sn PLATING  
TAIL AREA: Sn PLATING  
UNDER NICKEL PLATING (ALL OVER)
- 適合基板厚: 1.6±0.1mm  
APPLICABLE PCB THICKNESS: 1.6±0.1mm

- 適合嵌合コネクタ:  
64319-3211 (32ピン, 黒, 右),  
64320-1319 (48ピン, 茶, 左) 又は,  
64319-1211 (32ピン, 黒, 左),  
64320-3319 (48ピン, 茶, 右)  
APPLICABLE MATING CONNECTOR:  
64319-3211 (32PIN, BLACK, RIGHT),  
64320-1319 (48PIN, BROWN, LEFT) OR,  
64319-1211 (32PIN, BLACK, LEFT),  
64320-3319 (48PIN, BROWN, RIGHT)

- 製品仕様書:  
PS-64319-001参照  
PRODUCT SPECIFICATION:  
REFER TO PS-64319-001
- GENERAL TOLERANCES (UNLESS SPECIFIED)  
10 UNDER ±0.2  
10 OVER 30 UNDER ±0.25  
30 OVER ±0.3  
ANGULAR ±2 DEGREES



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS mm		SCALE 1:1		CURRENT REV DESC:				<b>molex</b>	
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± 2.0°		EC NO: 600672		2018/06/07			
4 PLACES ± 0.2		3 PLACES ± 0.25		DRWN: JOKAMURA		2018/06/26		PRODUCT CUSTOMER DRAWING	
2 PLACES ± 0.3		1 PLACE ±		CHK'D: SANDO		2018/06/26		DOCUMENT NUMBER	
0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR: TOSADA		2018/06/26		SD-502225-001	
THIRD ANGLE PROJECTION		DRAWING		INITIAL REVISION:		2006/05/25		DOC TYPE DOC PART REVISION	
A3-SIZE		SERIES		DRWN: SANDO		2010/03/10		PSD 001 A	
MATERIAL NUMBER		CUSTOMER		APPR: MAYAMAMOTO		2010/03/10		SHEET NUMBER	
502225		GENERAL MARKET		502225-0801		2 OF 2			

单击下面可查看定价，库存，交付和生命周期等信息

[>>MOLEX](#)