




2695-NR



2695-NRP



WHEN MATING 2695-NRP TO BREAKAWAY FRICTION LOCK OR POLARIZING HEADERS, THE END BACKWALLS MUST BE REMOVED



| NO. OF CIRCUITS | DIM. A                     | DIM. B           |
|-----------------|----------------------------|------------------|
| 2               | (2.54±0.05)<br>.100±.002   | (5.64)<br>.222   |
| 3               | (5.08±0.05)<br>.200±.002   | (8.18)<br>.322   |
| 4               | (7.62±0.08)<br>.300±.003   | (10.72)<br>.422  |
| 5               | (10.16±0.08)<br>.400±.003  | (13.26)<br>.522  |
| 6               | (12.70±0.10)<br>.500±.004  | (15.80)<br>.622  |
| 7               | (15.24±0.10)<br>.600±.004  | (18.34)<br>.722  |
| 8               | (17.78±0.13)<br>.700±.005  | (20.88)<br>.822  |
| 9               | (20.32±0.13)<br>.800±.005  | (23.42)<br>.922  |
| 10              | (22.86±0.13)<br>.900±.005  | (25.96)<br>1.022 |
| 11              | (25.40±0.15)<br>1.000±.006 | (28.50)<br>1.122 |
| 12              | (27.94±0.15)<br>1.100±.006 | (31.04)<br>1.222 |
| 13              | (30.48±0.18)<br>1.200±.007 | (33.58)<br>1.322 |
| 14              | (33.02±0.18)<br>1.300±.007 | (36.12)<br>1.422 |
| 15              | (35.56±0.20)<br>1.400±.008 | (38.66)<br>1.522 |
| 16              | (38.10±0.20)<br>1.500±.008 | (41.20)<br>1.622 |


NOTES:

- MATERIAL: A - NYLON, UL94V-0, COLOR: WHITE  
B - NYLON, UL94V-0, COLOR: MOLDED BLACK
- FINISH: SEE TERMINAL DRAWING
- PRODUCT SPECIFICATION: PS-10-07.
- PACKAGING: PER 26950002-PK, 26950001-PK (ONLY FOR 22013047, 22013037, 22013027)
- HOUSING TO BE USED WITH CRIMP TERMINAL SERIES 2759, 6459, 41572. PARTS MADE AFTER 4/19/2012 WILL ALSO ACCEPT 4809 AND 8088 SERIES TERMINALS. FOR USE WITH 22-30 GAUGE WIRE WITH (1.57)/.062 DIAMETER MAXIMUM WIRE INSULATION.
- LAST CIRCUIT NUMBER NOT PRESENT ON 2-6 CKT AND MAY OR MAY NOT BE PRESENT ON 7-16 CKT SIZES.
- CIRCUIT NUMBER "1" AND ENGINEERING NUMBER TO APPEAR ON PARTS 3 CKTS AND HIGHER.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
- THE PARTS LISTED ON THIS DRAWING ARE CONSTRUCTED TO MEET THE REQUIREMENT FOR DIRECT SUPPORT OF UNINSULATED LIVE PARTS AS DESCRIBED IN UL508C.
- THIS DRAWING REPLACES SD-2695.

|                    |   |        |                        |                 |  |
|--------------------|---|--------|------------------------|-----------------|--|
| FUNCTIONAL SYMBOLS | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |        | CURRENT REV DESC:      |                 |  |
|                    | DIMENSION UNITS   | SCALE  |                        |                 |  |
| $F_A = 0$          | mm  | 5:1    |                        |                 | EC NO: 639732<br>DRWN: YVENKATESWAR 2020/06/17<br>CHK'D: YVENKATESWAR 2020/06/17<br>APPR: ISHWARG 2020/06/17 |
| $F_C = 0$          | GENERAL TOLERANCES (UNLESS SPECIFIED)   |        |                        |                 |  |
| $F_P = 0$          |   | MM     | INCH                   |                 | INITIAL REVISION:<br>DRWN: JQUILES 2017/06/02<br>APPR: FSMITH 2017/06/09                                     |
| DIVISIONAL SYMBOLS |   |        |                        |                 |  |
|                    | 4 PLACES  | ±      | ±                      |                 | PRODUCT CUSTOMER DRAWING<br>DOCUMENT NUMBER: 26950000-SD<br>DOC TYPE: PSD<br>DOC PART: 000<br>REVISION: A3   |
|                    | 3 PLACES  | ±      | ± 0.005                |                 |  |
|                    | 2 PLACES  | ± 0.13 | ± 0.01                 |                 | MATERIAL NUMBER: SEE CHART<br>CUSTOMER: GENERAL MARKET<br>SHEET NUMBER: 1 OF 2                               |
|                    | 1 PLACE   | ± 0.25 | ±                      |                 |  |
|                    | 0 PLACES  | ±      | ±                      |                 |  |
|                    | ANGULAR TOL   | ± 0.5° |                        |                 |  |
|                    | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |        | THIRD ANGLE PROJECTION | DRAWING: C-SIZE | SERIES: 2695   |

| 2695-N      |                    |      | 2695-NR     |                    |      | 2695-NRP    |                    |      | 2695-NRP-BK |                    |      |
|-------------|--------------------|------|-------------|--------------------|------|-------------|--------------------|------|-------------|--------------------|------|
| PART NUMBER | ENGINEERING NUMBER | VOID | PART NUMBER | ENGINEERING NUMBER | VOID | PART NUMBER | ENGINEERING NUMBER | VOID | PART NUMBER | ENGINEERING NUMBER | VOID |
| 22-01-2021  | 2695-2             |      | 22-01-2027  | 2695-2R            |      | 22-01-3027* | 2695-2RP           |      | 50-29-1557  | 2695-2RP-BK        |      |
| 22-01-2031  | 2695-3             |      | 22-01-2037  | 2695-3R            |      | 22-01-3037* | 2695-3RP           |      | 50-29-1558  | 2695-3RP-BK        |      |
| 22-01-2041  | 2695-4             |      | 22-01-2047  | 2695-4R            |      | 22-01-3047* | 2695-4RP           |      | 50-29-1559  | 2695-4RP-BK        |      |
| 22-01-2051  | 2695-5             |      | 22-01-2057  | 2695-5R            |      | 22-01-3057  | 2695-5RP           |      | 50-29-1560  | 2695-5RP-BK        |      |
| 22-01-2061  | 2695-6             |      | 22-01-2067  | 2695-6R            |      | 22-01-3067  | 2695-6RP           |      | 50-29-1561  | 2695-6RP-BK        |      |
| 22-01-2071  | 2695-7             |      | 22-01-2077  | 2695-7R            |      | 22-01-3077  | 2695-7RP           |      | 50-29-1562  | 2695-7RP-BK        |      |
| 22-01-2081  | 2695-8             |      | 22-01-2087  | 2695-8R            |      | 22-01-3087  | 2695-8RP           |      | 50-29-1563  | 2695-8RP-BK        |      |
| 22-01-2091  | 2695-9             |      | 22-01-2097  | 2695-9R            |      | 22-01-3097  | 2695-9RP           |      | 50-29-1564  | 2695-9RP-BK        |      |
| 22-01-2101  | 2695-10            |      | 22-01-2107  | 2695-10R           |      | 22-01-3107  | 2695-10RP          |      | 50-29-1565  | 2695-10RP-BK       |      |
| 22-01-2111  | 2695-11            |      | 22-01-2117  | 2695-11R           |      | 22-01-3117  | 2695-11RP          |      | 50-29-1566  | 2695-11RP-BK       |      |
| 22-01-2121  | 2695-12            |      | 22-01-2127  | 2695-12R           |      | 22-01-3127  | 2695-12RP          |      | 50-29-1567  | 2695-12RP-BK       |      |
| 22-01-2131  | 2695-13            |      | 22-01-2137  | 2695-13R           |      | 22-01-3137  | 2695-13RP          |      | 50-29-1568  | 2695-13RP-BK       |      |
| 22-01-2141  | 2695-14            |      | 22-01-2147  | 2695-14R           |      | 22-01-3147  | 2695-14RP          |      | 50-29-1569  | 2695-14RP-BK       |      |
| 22-01-2151  | 2695-15            |      | 22-01-2157  | 2695-15R           |      | 22-01-3157  | 2695-15RP          |      | 50-29-1570  | 2695-15RP-BK       |      |
| 22-01-2161  | 2695-16            |      | 22-01-2167  | 2695-16R           |      | 22-01-3167  | 2695-16RP          |      | 50-29-1571  | 2695-16RP-BK       |      |

\*REFER NOTE 4 FOR PACKAGING INFORMATION PERTAINING TO 22013027, 22013037, 22013047



|       | RAMP | POLARIZING RIBS | MATERIAL |
|-------|------|-----------------|----------|
| BLANK | NO   | NO              | NOTE 1A  |
| R     | YES  | NO              | NOTE 1A  |
| RP    | YES  | YES             | NOTE 1A  |
| RP-BK | YES  | YES             | NOTE 1B  |

|   |   |  |                            |  |
|---|---|--|----------------------------|--|
| <b>FUNCTIONAL SYMBOLS</b><br>$\frac{F}{A} = 0$<br>$\frac{F}{C} = 0$<br>$\frac{F}{P} = 0$  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                            |  |
|   | <b>DIMENSION UNITS</b><br><b>mm</b>   |  | <b>SCALE</b><br><b>1:1</b> |  |
|   | <b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>  |  |                            |  |
|   | <b>DIVISIONAL SYMBOLS</b>   |  | <b>CURRENT REV DESC:</b>   |  |
| 4 PLACES ±     ±<br>3 PLACES ±     ± 0.005<br>2 PLACES ± 0.13 ± 0.01<br>1 PLACE ± 0.25 ±<br>0 PLACES ±     ±<br>ANGULAR TOL ± 0.5 ° |   | EC NO: 639732<br>DRWN: YVENKATESWAR 2020/06/17<br>CHK'D: YVENKATESWAR 2020/06/17<br>APPR: ISHWARG 2020/06/17 |                            |  |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |   | THIRD ANGLE PROJECTION   |                            |  |
| <b>DOCUMENT STATUS</b> P1 <b>RELEASE DATE</b> 2020/06/17 13:00:37   |   | <b>INITIAL REVISION:</b><br>DRWN: JQUILES 2017/06/02<br>APPR: FSMITH 2017/06/09                              |                            |  |
| <b>DOCUMENT NUMBER</b> 26950000-SD  |   | <b>DOC TYPE</b> PSD <b>DOC PART</b> 000 <b>REVISION</b> A3   |                            |  |
| <b>MATERIAL NUMBER</b> SEE CHART  |   | <b>CUSTOMER</b> GENERAL MARKET   |                            |  |
| <b>SHEET NUMBER</b> 2 OF 2  |   |  |                            |  |



KK 2.54/.100 CRIMP HOUSING  
2695 SERIES HALOGEN FREE

PRODUCT CUSTOMER DRAWING

单击下面可查看定价，库存，交付和生命周期等信息

[>>MOLEX](#)