

_

Please download the latest datasheet of PTGL20AS330H0D02BZ from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=PTGL20AS330H0D02BZ

Note: This datasheet may be out of date.

PTGL20AS330H0D02BZ










Appearance & Shape







Packaging Information

Packaging	Specifications	Standard Packing Quantity
BZ	Bulk(Bag)	100



Features

- 1. Protection against overcurrent situations
- 2. Automatic reset from protective trip mode
- 3. Space-saving
- 4. Various characteristics to meet a suitable resistance value.



Applications

Limited Usage	Consumer Grade
	High-power switching power supply (
	LCD TV) 2. The power supply for
Other Head	inverter on outside unit for Air-
Other Usage	conditioner 3. The power supply for
	inverter type fluorescent lamp 4. Other
	SW type power supply.

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



URL: https://www.murata.com/



PTGL20AS330H0D02BZ

Note: This datasheet may be out of date. ${\it Please download the latest datasheet of PTGL20AS330H0D02BZ from the official website of Murata}$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=PTGL20AS330H0D02BZ



Specifications

Max. Voltage	280V
Resistance (25°C)	33Ω
Resistance Value Tolerance (at 25°C)	±25%
Max. Inrush Current(peak)	39A
Maximum Charge Energy	181.7J
Measure Condition of Max. Charge Energy	at 60°C
Maximum Charge Energy(2)	131.7J
Measure Condition of Max. Charge Energy(2)	at 85°C
Operating Temperature Range	-20°C to 85°C
D: Outer Dimension	22mm
Thickness	6.5mm
F: Lead Space	10mm
d: Lead Diameter	0.8mm
Shape	Lead
Mass	5.24g

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



URL: https://www.murata.com/

 ${\it Please download the latest datasheet of PTGL20AS330H0D02BZ from the official website of Murata}$ Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=PTGL20AS330H0D02BZ

Note: This datasheet may be out of date.

PTGL20AS330H0D02BZ



Product Data



Resistance-Temperature Charac.

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



URL: https://www.murata.com/

单击下面可查看定价,库存,交付和生命周期等信息

>>Murata(村田)