

Preliminary Specification of C		Written by H. Kitaguch		
Preliminary SPEC No.	: NMM04-PL0003A		Checked by	Y. Kurasawa
Part Number	: MXLAB3LA1000		Date	27/Dec./2013
<b>SPECIFICATION</b>			Revised A	: 11/Jul./'16 KT
1. MECHANICAL				
A>				
_1_	\ \	*2	*1	
	))			ХY
	L			
$\leq$				$\rightarrow$
		0		*
		0 +,	/- 45 degree	
			L.	
				See X
				0007
	*1: Connector: LSC right angle	e plug connector	Scale: Free Tolerances Ur	less

\*2: Cable



L
100 +/- 3

2. CABLE :

Item		Specification	
2.1	Voltage Rating	30V r.m.s. maximum	
2.2	Nominal Frequency Range	DC to 6 GHz	
2.3	Nominal Impedance	50Ω	
2.4	Temperature Rating	-40°C to +85°C	
2.5	Used Cable	0.2D Single shield PFA cable	

Item Unit		Unit	Construction
Inner	Material	-	Silver plated copper alloy wire
conductor	No. and Dia.	(No./mm)	7/0.03
	Total Dia.	(mm)	0.09
Insulator	Material	-	PFA
	Total Dia.	(mm)	0.24
Outer Material		-	Silver plated copper alloy wire
conductor	Dia. of wire	(mm)	0.03
Sheath	Material	-	PFA(Black)
	Nominal thickness.	(mm)	0.05
Overall Dia. (mm)		(mm)	0.49
Minimum Bending Radius (mm)		(mm)	2.0
Nominal	dB/m at 1GHz		5.10
Insertion loss	dB/m at 20	GHz	7.08
	dB/m at 3GHz		8.54
	dB/m at 4GHz		9.79
	dB/m at 60	GHz	11.88



 Preliminary Specification of COAXIAL CONNECTOR

 Preliminary SPEC No.
 : NMM04-PL0003A

 Part Number
 : MXLAB3LA1000

Written by <u>H. k</u> Checked by <u>Y. k</u> Date 27/I

H. Kitaguchi Y. Kurasawa 27/Dec./2013

## 3. NOTE

A> Use tool part# M19608.

The connector to be engaged and disengaged should be inserted or pulled out to the vertical direction.

## 4. ACAUTION

## Limitation of Applications

Please do not use our products for the applications listed below which require specially high reliability for the prevention of defects which may directly or indirectly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Power plant control equipment
- (5) Medical equipment
- (6) Transportation equipment (vehicles, trains, ships, etc.)
- (7) Traffic signal equipment
- (8) Disaster prevention / crime prevention equipment
- (9) Data-processing equipment
- (10) Application of similar complexity and/or reliability requirements to the applications listed in the above.

单击下面可查看定价,库存,交付和生命周期等信息

>>Murata(村田)