RDER73A104K5B1H03B

| In Production | General | RoHS | REACH | 125 ℃ max. | Low acoustic noise | Deflecting crack | Soldering crack | Flow OK | Welding |

Appearance & Shape

· Lead Wire : Solder Coated Copper Wire or
Solder Coated CP Wire

(in mm)

References

Packaging	Specifications	Standard Packing Quantity
B	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.49g

Notices

Meet LF(Lead Free)[※LF : Lead content is less than 1000 ppm.], HF(Halogen Free)

Last updated07/09/2021

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of RDER73A104K5B1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=RDER73A104K5B1H03B

RDER73A104K5B1H03B

Specifications

L size or Outer diameter D	7.5mm max.
Width	8.0mm max.
T size	4.0mm max.
Lead spacing F	5.0±0.8mm
Lead diameter d	0.5±0.05mm
Capacitance	0.10µF ±10%
Rated voltage	1000Vdc
Temperature characteristics	X7R(EIA)
Capacitance change rate	±15%
Temperature range of temperature characteristics	-55℃ to 125℃
Operating Temperature Range	-55℃ to 125℃

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

URL : https://www.murata.com/

Last updated07/09/2021

muRata
INNOVATOR IN ELECTRONICS

Note: This datasheet may be out of date.

Please download the latest datasheet of RDER73A104K5B1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=RDER73A104K5B1H03B

RDER73A104K5B1H03B

Characteristic Data

The charts below may show another part number which shares its characteristics.

RDER73A104K5B1H03B |Z| DC0V, 25degC

RDER73A104K5B1H03B R DC0V, 25degC

RDER73A104K5B1H03B C-DC bias capchange, 25.0degC, AC1


RDER73A104K5B1H03B C-AC Voltage capchange, DC0V, 25.0

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

muRata
INNOVATOR IN ELECTRONICS

URL : https://www.murata.com/

Last updated07/09/2021

Note: This datasheet may be out of date.

Please download the latest datasheet of RDER73A104K5B1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=RDER73A104K5B1H03B

RDER73A104K5B1H03B

RDER73A104K5B1H03B C-Temp. capchange, DC0V, AC1Vrms

RDER73A104K5B1H03B S21 DC0V, 25degC

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

URL : https://www.murata.com/

Last updated07/09/2021

单击下面可查看定价，库存，交付和生命周期等信息

>>Murata(村田)