

To _____

No. ZGSM-040403M-01

Date 3rd Apr. '04

Type No.
ERDA2

Data Sheet

EGSM900 Rx SAW Filter	
Application	: Rx Filter for EGSM900
Center Frequency	: 942.5MHz
Size	: 2.0x1.4mm, 5pin-layout
Impedance	: 50-50ohms unbalance-unbalance
Part No.	: EFCH942MTCD1

Issued *A. Tsunekawa*
Check *K. Nishimura*

CIRCUIT COMPONENTS BUSINESS UNIT
MATSUSHITA ELECTRONIC COMPONENTS CO.,LTD
KADOMA, OSAKA, JAPAN

EGSM900 Rx SAW Filter

----- Unbalanced input and unbalanced output -----

Part No. :

Design No. : T942CL1



Parameter	Frequency	Your request			Our Specification			Unit
		Min.	Typ.	Max.	Min.	Typ.	Max.	
Passband		925 ... 960			925 ... 960			MHz
Insertion loss	925 ... 960MHz					1.7	2.4	dB
Ripple in passband	925 ... 960MHz					0.6	1.5	dB
Attenuation	Att1	DC ... 880MHz				30	60	dB
	Att2	880 ... 905MHz				23	32	dB
	Att3	905 ... 915MHz				18	21	dB
	Att4	980 ... 1500MHz				26	32	dB
	Att5	1500 ... 3000MHz				30	46	dB
	Att6	3000 ... 6000MHz				20	29	dB
VSWR	Input	925 ... 960MHz				1.5	2.0	
	Output	925 ... 960MHz				1.5	2.0	
Input impedance (Single Ended)					50			Ohm
Output impedance(Single Ended)					50			Ohm
Maximum drive level							13	dBm
Operating temperature					-30		+85	deg. C
Storage temperature					-40		+85	deg. C

EGSM900 Rx SAW Filter

----- Unbalanced input and unbalanced output -----

Part No. :

Design No. : T942CL1




EGSM900 Rx SAW Filter

----- Unbalanced input and unbalanced output -----

Part No. :




Design No. : T942CL1



THIRD ANGLE PROJECTION

Tolerance : +/-0.05

Under Development



- (1) Input
- (2) GND
- (3) GND
- (4) Output
- (5) GND

Note :
The design manufacturing process,
and Specification of this device
are subject to change without
notice.

UNLESS OTHERWISE SPECIFIED		
BASIC DIMENSIONS		TOLERANCE
UP TO	INCL	
TO	INCL	
TO	INCL	
TO	INCL	
ABOVE		

--	--	--

ISSUE	REVISIONS	DATE
MATERIAL	FINISH	SCALE
DESIGN		
DRAW		
CHECK		
APPROVAL		
DRAWING NO.		

DO NOT SCALE DRAWING


REVISIONS INDICATED BY Δ

ALL DIMENSIONS ARE IN MILLIMETERS

NAME	TYPE NO.
SAW Filter	

**CERAMIC BUSINESS UNIT, LCR DEVICE COMPANY
MATSUSHITA ELECTRONIC COMPONENTS CO.,LTD.
KADOMA, OSAKA, JAPAN**

THIRD ANGLE PROJECTION



0 Level




Fig. 2

S : Standard Signal Generator
(Output Impedance 50 ohm)
C : Frequency Counter
D : Detector
(Input Impedance 50 ohm)

UNLESS OTHERWISE SPECIFIED

BASIC DIMENSIONS		TOLERANCE
UP TO	INCL	
TO	INCL	
TO	INCL	
TO	INCL	
ABOVE		

--	--	--

ISSUE	REVISIONS		DATE
MATERIAL	FINISH	SCALE	
DESIGN			
DRAW			
CHECK			
APPROVAL			
DRAWING NO.			

NAME	TYPE NO.
------	----------

SAW filter

CERAMIC BUSINESS UNIT , LCR DEVICE COMPANY
MATSUSHITA ELECTRONIC COMPONENTS CO.,LTD.
KADOMA, OSAKA, JAPAN

DO NOT SCALE DRAWING REVISIONS INDICATED BY ALL DIMENSIONS ARE IN MILLIMETERS

单击下面可查看定价，库存，交付和生命周期等信息

[>>Panasonic\(松下\)](#)