

Cable gland - HC-M-KV-M20(1ASI) - 1584017

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Metal screw connection for an AS-Interface flat-ribbon conductor, thread type M20



Key commercial data

Packing unit	1 PCE
Custom tariff number	85389099
Country of origin	Germany

Technical data

Dimensions

External cable diameter	(For AS-Interface flat-ribbon cable)
-------------------------	--------------------------------------

Ambient conditions

Degree of protection	IP65
	IP65
Ambient temperature (operation)	-20 °C ... 100 °C

General

Type of the screw connection	M20
Cable gland material	Nickel-plated brass
Seal material	TPE
Cable seal material	TPE
Material, O-ring	NBR
Thread type on connection side	M20
Tightening torque, union nut	7.50 Nm

Classifications

eCl@ss

eCl@ss 4.0	272607xx
------------	----------

Cable gland - HC-M-KV-M20(1ASI) - 1584017

Classifications

eCl@ss

eCl@ss 4.1	27260701
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27440209

ETIM

ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000441

UNSPSC

UNSPSC 6.01	30211808
UNSPSC 7.0901	39121408
UNSPSC 11	39121408
UNSPSC 12.01	39121408
UNSPSC 13.2	39121408

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)