

## Panel mounting frames - VS-PPC-F2-MSTB-MNNA-1C-SPSB5 - 1405167

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



MSTB panel mounting frame, IP67, for push-pull interlocking, metal, with integrated contact insert for conductor connection, spring-cage connection, 400 V, for round mounting cutout, with seal



### Key commercial data

|                                      |           |
|--------------------------------------|-----------|
| Packing unit                         | 1 PCE     |
| Weight per Piece (excluding packing) | 120.0 GRM |
| Custom tariff number                 | 85366990  |
| Country of origin                    | Germany   |

### Technical data

#### Mechanical characteristics

|                              |                                              |
|------------------------------|----------------------------------------------|
| Number of positions          | 5                                            |
| Locking type                 | Push Pull                                    |
| Connection method            | Spring-cage conn.                            |
| Conductor cross section      | 0.75 mm <sup>2</sup> ... 2.5 mm <sup>2</sup> |
| Connection cross section AWG | 18 ... 13                                    |
| Color                        | silver                                       |

#### Ambient conditions

|                      |         |
|----------------------|---------|
| Degree of protection | IP65/67 |
|----------------------|---------|

#### Material data

|                                         |                  |
|-----------------------------------------|------------------|
| Inflammability class according to UL 94 | V0               |
| Housing material                        | Zinc die-cast    |
| Housing surface material                | Nickel-plated    |
| Contact carrier material                | PA               |
| Contact material                        | Copper alloy     |
| Contact surface material                | Gold over nickel |

## Panel mounting frames - VS-PPC-F2-MSTB-MNNA-1C-SPSB5 - 1405167

### Technical data

#### Material data

|                  |       |
|------------------|-------|
| Material         | Metal |
| Sealing material | NBR   |
| Seal material    | NBR   |

#### Electrical characteristics

|                     |   |
|---------------------|---|
| Number of positions | 5 |
| Pollution degree    | 2 |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27261207 |
| eCl@ss 7.0 | 27440210 |
| eCl@ss 8.0 | 27440210 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC002310 |
| ETIM 4.0 | EC002310 |
| ETIM 5.0 | EC002310 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11     | 31261501 |
| UNSPSC 12.01  | 31261501 |
| UNSPSC 13.2   | 31261501 |

### Approvals

#### Approvals

---

#### Approvals

#### GOST

---

## Panel mounting frames - VS-PPC-F2-MSTB-MNNA-1C-SPSB5 - 1405167

### Approvals

Ex Approvals


Approvals submitted

### Approval details

GOST 


### Drawings

Dimensioned drawing




Push-Pull MSTB panel mounting frame

Drilling diagram



Panel cutout

Schematic diagram



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)