

Crimping pliers - CRIMPFOX 10S - 1212045

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Crimping pliers, for ferrules according to DIN 46228, 0.14 - 10 mm², pressure lock can be unlocked, lateral entry

Why buy this product

- ✓ These compact crimping pliers have been designed to reduce effort when working
- ✓ The way in which the handles and the die are arranged means that the ferrules can be fitted however the tool is held

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 270 (CL2-2011)
GTIN	 4 046356 455732
Custom tariff number	82032000
Country of origin	GERMANY

Technical data

General

Length (b)	175 mm
Compression	Square crimp

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

etim

ETIM 2.0	EC001186
----------	----------

Crimping pliers - CRIMPFOX 10S - 1212045

Classifications

etim

ETIM 3.0	EC001186
ETIM 4.0	EC001186

unspsc

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

Accessories

Accessories

Tools

Replacement spring - CRIMPFOX/SPR-2 - 1212047



Spare recuperating spring

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)