

Protective covers - VS-08-SD-S - 1652871

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Protective cover, IP67, tall design, irradiated for welding applications

The illustration shows the product version VS-08-SD



Ethernet

Key commercial data

Packing unit	1 1
Minimum order quantity	5 1
GTIN	 4 017918 969899
Weight per Piece (excluding packing)	4.38 GRM
Custom tariff number	39235090
Country of origin	Germany

Technical data

Mechanical characteristics

Connection profile	RJ45
Locking type	Without
Color	black

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
Degree of protection	IP67

Material data

Inflammability class according to UL 94	HB
Housing material	PA
Material	Plastic

Protective covers - VS-08-SD-S - 1652871

Technical data

Material data

Sealing material	FPM
Seal material	FPM

Classifications

eCl@ss

eCl@ss 4.0	27141210
eCl@ss 4.1	27141210
eCl@ss 5.0	27149110
eCl@ss 5.1	27149110
eCl@ss 6.0	27149110
eCl@ss 7.0	27149110
eCl@ss 8.0	27149110

ETIM

ETIM 2.0	EC000241
ETIM 3.0	EC002040
ETIM 4.0	EC002040
ETIM 5.0	EC002040


UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Drawings

Protective covers - VS-08-SD-S - 1652871

Dimensioned drawing



Protective cover, IP67

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)