

Pneumatic crimping tool - ZAP 100 T - 1203262

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Pneumatic crimping pliers, as table top version, for ferrules in accordance with DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross section 4 - 10 mm²

Why buy this product

- These crimping pliers have been specially developed for pre-assembling conductors
- The crimping process is activated by a foot valve
- Two integrated recesses allow quick access to the ferrules

Key commercial data

| | |
|------------------------|---|
| Packing unit | 1 |
| Minimum order quantity | 1 |
| Catalog page | Page 330 (CL2-2011) |
| GTIN |  4 017918 018153 |
| Custom tariff number | 84678900 |
| Country of origin | GERMANY |

Technical data

General

| | |
|----------------------------------|-----------------|
| Length (b) | 190 mm |
| Min. AWG, flexible, multi-strand | 8 |
| AWG max., flexible, multi-strand | 12 |
| Pressure range | 4 hPa ... 6 hPa |
| Air consumption per compression | 0.2 l |
| Weight | 1.3 kg |
| Compression | trapezoidal |

Classifications

eclass

| | |
|------------|----------|
| eCl@ss 4.0 | 21040301 |
| eCl@ss 4.1 | 21040301 |
| eCl@ss 5.0 | 21040301 |

Pneumatic crimping tool - ZAP 100 T - 1203262

Classifications

eclass

| | |
|------------|----------|
| eCl@ss 5.1 | 21040301 |
| eCl@ss 6.0 | 17130101 |
| eCl@ss 7.0 | 17130101 |

etim

| | |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC001186 |

unspsc

| | |
|---------------|----------|
| UNSPSC 6.01 | 27112118 |
| UNSPSC 7.0901 | 27111518 |
| UNSPSC 11 | 23171604 |
| UNSPSC 12.01 | 27111518 |
| UNSPSC 13.2 | 27111518 |

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact \(菲尼克斯\)](#)