

Remote bus cable - IBS RBC METER/E-T - 2723149

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Remote bus cable, for underground runs, 3 x 2 x 0.22 mm², by the meter

The illustration shows the versions standard, highly flexible and remote bus cables for underground runs

Key commercial data

Packing unit	1 M
GTIN	 4 017918 141271
Weight per Piece (excluding packing)	95.2 GRM
Custom tariff number	85444993
Country of origin	Germany

Technical data

Ambient conditions

Ambient temperature (storage/transport)	-30 °C ... 70 °C
---	------------------

External sheath

Outer sheath, material	PVC (reinforced) UV-resistant
External sheath, color	Black RAL 9005
External diameter	9.3 mm

Single wire

Individual wires per module	6
Single wire, color	Color-coded DIN 47100
Structural data	7-strand Litz wires

Mechanical properties

Smallest bending radius, fixed installation	8 x 9.3 mm
---	------------

Remote bus cable - IBS RBC METER/E-T - 2723149

Classifications

eCl@ss

eCl@ss 4.0	27250281
eCl@ss 4.1	27250281
eCl@ss 5.0	27061801
eCl@ss 5.1	27061801
eCl@ss 6.0	27061801
eCl@ss 7.0	27061801
eCl@ss 8.0	27061801

ETIM

ETIM 2.0	EC000304
ETIM 3.0	EC000830
ETIM 4.0	EC000830
ETIM 5.0	EC000830

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	39121311
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311

Approvals

Approvals

Approvals

GOST / INTERBUS CLUB

Ex Approvals

Approvals submitted

Approval details

Remote bus cable - IBS RBC METER/E-T - 2723149

Approvals

GOST 

INTERBUS CLUB

Phoenix Contact 2014 © - all rights reserved
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)