

## A 4 - 9

Order No.: 3200302

The figure shows variant A 1-6



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200302>

Ferrule, Length: 9 mm, Color: silver

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| EAN                      | 4017918093952      |
| Pack                     | 1000 pcs.          |
| Customs tariff           | 85369010           |
| Weight/Piece             | 0.00015 KG         |
| Catalog page information | Page 661 (CL-2009) |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

|                                              |        |
|----------------------------------------------|--------|
| Length (b)                                   | 9 mm   |
| Color                                        | silver |
| Material                                     | E-CU   |
| Sleeve length                                | 8 mm   |
| Inner dimension of the insulating collar (d) | 4 mm   |

|                       |        |
|-----------------------|--------|
| Ferrule diameter      | 2.8 mm |
| Sleeve wall thickness | 0.2 mm |

#### Certificates / Approvals



Certification

CSA, UCSA

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)