

Screw insert - SF-BIT-SL 1,0X5,5-50 - 1212574

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Screw bit, slot, E6.3-1/4" drive, Size: 1.0 x 5.5 x 50 mm, hardened, suitable for holders as per DIN 3126-F 6.3 / ISO 1173


Illustration shows variant SF-BIT-SL 1.0x5.5-70

Product Features

- Tools for SF-ASD 21 cordless screwdriver in various versions



Key commercial data

Packing unit	1 PCE
Catalog page	Page 288 (CL2-2011)
GTIN	 4 046356 590099
Custom tariff number	82079030
Country of origin	CZECH REPUBLIC

Technical data

General

Color	silver
Design	Phillips
Blade thickness	1 mm
Blade width	5.5 mm
Blade height	50 mm
Material	Alloyed tool steel
Test standard	DIN 3126 drive, output 3127-1

Screw insert - SF-BIT-SL 1,0X5,5-50 - 1212574

Classifications

ETIM

ETIM 4.0	EC002115
ETIM 5.0	EC002115

UNSPSC

UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701
UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701

eCl@ss

eCl@ss 4.0	21040402
eCl@ss 4.1	21040402
eCl@ss 5.0	21040402
eCl@ss 5.1	21040402
eCl@ss 6.0	21040290
eCl@ss 7.0	21040290

Drawings

Pictogram



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)