

Replacement die - CF 500/DIE AI 6 - 1212238

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(<http://phoenixcontact.com/download>)



Die for CF 500 crimping machine, for ferrules (A... and AI...) 0.08 - 6 mm²

Product Features



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	80.0 GRM
Custom tariff number	84799080
Country of origin	Germany

Technical data

General

Compression	Trapezoidal crimp
Min. cross section	0.08 mm ²
Max. cross section	6 mm ²

Classifications

eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21043290
eCl@ss 5.1	21059090
eCl@ss 6.0	17130101
eCl@ss 7.0	17130101

ETIM

ETIM 3.0	EC001186
----------	----------

Replacement die - CF 500/DIE AI 6 - 1212238

Classifications

ETIM

ETIM 4.0	EC001282
ETIM 5.0	EC001282

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	27111518
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)