

## Cable - SAC-3P-M12MS/1,5-PUR/A-1L-Z VW - 1439560

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable, 3-position, PUR halogen-free, Irradiated, orange RAL 2003, Plug straight M12, A-coded, on Valve connector A, with 1 LED, connected with Z diode, Cable length: 1.5 m, Customer-specific version



### Key commercial data

Packing unit	1 1
Weight per Piece (excluding packing)	113.9 GRM
Custom tariff number	85444290
Country of origin	Poland

### Classifications

#### eCl@ss

eCl@ss 4.0	27060306
eCl@ss 4.1	27060306
eCl@ss 5.0	27061801
eCl@ss 5.1	27061801
eCl@ss 6.0	27061801
eCl@ss 7.0	27061801
eCl@ss 8.0	27061801

#### ETIM

ETIM 3.0	EC001855
ETIM 4.0	EC001855
ETIM 5.0	EC001855

#### UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501
UNSPSC 11	31251501

# Cable - SAC-3P-M12MS/1,5-PUR/A-1L-Z VW - 1439560


## Classifications

### UNSPSC

UNSPSC 12.01	31251501
UNSPSC 13.2	31251501


## Drawings

Schematic diagram




Pin assignment M12 plug, 3-pos., valve connector

Schematic diagram




Valve connector pin assignment, type A

Cable cross section




PUR irradiated halogen-free orange [150]

Dimensioned drawing




Valve connector, type A

Dimensioned drawing



M12 x 1 plug, straight


Dimensioned drawing



Valve connector, type A, side view

# Cable - SAC-3P-M12MS/1,5-PUR/A-1L-Z VW - 1439560

Circuit diagram



Contact assignment of M12 plug and valve connector

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)