

Disconnect strip - CT 10-TL - 2765356

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



LSA-PLUS disconnect strip to hold the CTM and CT 10 protection modules. Version: 10 double conductors, dimension A: 124 mm.

Product Features

- ✓ LSA-PLUS disconnect strip
- ✓ For accommodating CT and CTM protective plugs



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	56.96 GRM
Custom tariff number	85389099
Country of origin	Germany

Technical data

Dimensions

Height	22 mm
Width	124 mm
Depth	53 mm

General

Inflammability class according to UL 94	V0
Color	gray
Mounting type	auf LSA-PLUS-Montagebügel
Type	LSA-PLUS module

Connection data

Connection type IN	IDC terminal block
Connection type OUT	IDC terminal block

Disconnect strip - CT 10-TL - 2765356

Classifications

eCl@ss

eCl@ss 4.0	27140201
eCl@ss 4.1	27130801
eCl@ss 5.0	27130801
eCl@ss 5.1	27130801
eCl@ss 6.0	27130807
eCl@ss 7.0	27130807
eCl@ss 8.0	27130807

ETIM

ETIM 2.0	EC000943
ETIM 3.0	EC000943
ETIM 4.0	EC000943
ETIM 5.0	EC000943

UNSPSC

UNSPSC 6.01	30212010
UNSPSC 7.0901	39121610
UNSPSC 11	39121610
UNSPSC 12.01	39121610
UNSPSC 13.2	39121620

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details


Disconnect strip - CT 10-TL - 2765356

Approvals



Drawings

Dimensioned drawing



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)