

# Switching jumper - SB 6-T 4-8 - 3075844

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Switching jumper, Pitch: 8 mm, Number of positions: 4, Color: orange



### **Key Commercial Data**

Packing unit	1 STK
Minimum order quantity	10 STK
Custom tariff number	85389099
Country of origin	India

#### Technical data

China RoHS

#### **Environmental Product Compliance**

Color	orange
Technical data	

No hazardous substances above threshold values

Color	orange
Number of positions	4
Pitch	8 mm

#### Classifications

### eCl@ss

eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27141140
eCl@ss 5.1	27141140
eCl@ss 6.0	27141140

09/08/2016 Page 1 / 3



# Switching jumper - SB 6-T 4-8 - 3075844

### Classifications

### eCl@ss

eCl@ss 7.0	27141140
eCl@ss 8.0	27141140
eCl@ss 9.0	27141140

#### **ETIM**

ETIM 4.0	EC000489
ETIM 5.0	EC000489

#### UNSPSC

UNSPSC 6.01	30211829
UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121426

## Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC EAC-Zulassung

#### Accessories

Accessories

Screwdriver tools



## Switching jumper - SB 6-T 4-8 - 3075844

#### Accessories

Screwdriver - SZF 1-0,6X3,5 - 1204517



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Screwdriver - SF-SL 0,6X3,5-100 S-VDE - 1212587



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com

## 单击下面可查看定价,库存,交付和生命周期等信息

>>Phoenix Contact(菲尼克斯)