

Electronic housing - UM100-PROFIL 100CM - 2914563

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Profile panel mounting base, with a design width of 100 mm and a fixed length of 100 cm




Product Features

- Lateral elements with potential ground contact available from the PCB to the DIN rail (EMC)
- Inexpensive as a result of reducing the number of separate housing parts
- Flexible size and shape
- Fast assembly on standard NS 35 or NS 32 DIN rails
- Wide range of options for external conductor connection
- High degree of mechanical stability by screwing the lateral elements to the profile
- The modules can be marked with Phoenix Contact marking material using the marking grooves in the press-drawn section



Key commercial data

Packing unit	1 PCE
GTIN	 4 017918 959159
Custom tariff number	39162000
Country of origin	GERMANY

Technical data

General

Housing type	Panel mounting base
Housing material	PVC
Color	green

Dimensions/poles

Length	1 m
Width	1000 mm

Electronic housing - UM100-PROFIL 100CM - 2914563

Technical data

Technical data

Ambient temperature (operation)	-15 °C ... 50 °C
Inflammability class according to UL 94	V0

Classifications

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC002779



UNSPSC

UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501
UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182701

Drawings



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact \(菲尼克斯\)](#)