

# Software - FL VIEW 64 - 2701472

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



FL VIEW, SNMP-based software in English, for the detection and display of Ethernet networks. 64 nodes (network devices) can be monitored in various subnetworks with this version.

#### **Product Features**

- Special support for Phoenix Contact Factoryline devices
- Also suitable for PROFINET networks thanks to LLDP support
- Non-proprietary use also possible thanks to SNMP standard



## **Key Commercial Data**

| Packing unit         | 1 pc     |
|----------------------|----------|
| Custom tariff number | 85234925 |
| Country of origin    | Germany  |

#### Technical data

#### License information

| Type of software | Network representation |
|------------------|------------------------|
|                  | Diagnostics            |

#### **Functions**

| Basic functions        | FL VIEW is a software product for detecting and monitoring industrial Ethernet TCP/IP networks with advanced features for PROFINET applications. |
|------------------------|--|
|                        | FL VIEW automatically detects the topology and status of the networks and devices and transmits this in an animated realtime graphic.            |
| Expanded functionality | 64 nodes (network devices) can be monitored in various subnetworks with the FL VIEW 64 version   |

#### Hardware requirements

| Hard disk | min. 150 Mbyte (For help and video files, an additional 650 MB is needed) |
|-----------|---|
| CPU       | > 1 GHz   |

04/19/2016 Page 1 / 2



# Software - FL VIEW 64 - 2701472

### Technical data

### Hardware requirements

| Interfaces          | Ethernet Port               |
|---------------------|-----------------------------|
| Optical drive       | CD-ROM                      |
| Operating equipment | Keyboard, mouse recommended |

## Software requirements

| Operating systems | 32-bit system: Windows XP SP3, 32-bit and 64-bit system: Windows 7, Windows 2003, Windows 2008 server |
|-------------------|---|
|-------------------|---|

## Classifications

### eCl@ss

| eCl@ss 4.0 | 27250270 |
|------------|----------|
| eCl@ss 4.1 | 27250270 |
| eCl@ss 5.0 | 27242501 |
| eCl@ss 5.1 | 27250580 |
| eCl@ss 6.0 | 27242501 |
| eCl@ss 7.0 | 27242501 |
| eCl@ss 8.0 | 19240201 |

#### **ETIM**

| ETIM 3.0 | EC001435 |
|----------|----------|
| ETIM 4.0 | EC000501 |
| ETIM 5.0 | EC000501 |

#### **UNSPSC**

| UNSPSC 6.01   | 43172015 |
|---------------|----------|
| UNSPSC 7.0901 | 43201404 |
| UNSPSC 11     | 81111810 |
| UNSPSC 12.01  | 43232401 |
| UNSPSC 13.2   | 43232401 |

Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com

# 单击下面可查看定价,库存,交付和生命周期等信息

>>Phoenix Contact(菲尼克斯)