

## Front cutter - MICROFOX-EO\_DB - 1212795

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Electronic front cutter, 20° angle, without chamfer, with opening spring, type of packaging: with holder for sales display (backcard)

### Product Features

- Through-connected joint for permanent stability and optimum distribution of force
- Opening spring for uniform, smooth opening
- Ergonomically designed two-component handles for fatigue-proof and non-slip use
- Made from special high-grade tool steel
- Mirror-polished and oiled metal surfaces, which provide maximum rust protection

### Key Commercial Data

|                      |          |
|----------------------|----------|
| Packing unit         | 1 pc     |
| Custom tariff number | 82032000 |
| Country of origin    | Germany  |

### Technical data

#### Dimensions

|            |        |
|------------|--------|
| Length (b) | 120 mm |
|------------|--------|

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.1 | 21040302 |
| eCl@ss 6.0 | 21043706 |
| eCl@ss 8.0 | 21043711 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC002222 |



# Front cutter - MICROFOX-EO\_DB - 1212795

## Classifications

ETIM

|          |          |
|----------|----------|
| ETIM 5.0 | EC000165 |
|----------|----------|

## Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

## Approval details

|     |
|-----|
| EAC |
|-----|

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)