

Screw insert - SF-BIT-SL 0,8X4,0-70 - 1212572

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screw bit, bladed, E6.3-1/4" drive, size: 0.8 x 4.0 x 70 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

Your advantages

- ✔ Tools for SF-ASD 21 cordless screwdriver in various versions

Key Commercial Data

| | |
|--------------|--|
| Packing unit | 5 pc |
| GTIN |  4 046356 590075 |
| GTIN | 4046356590075 |

Technical data

Dimensions

| | |
|-----------------|--------|
| Length (b) | 70 mm |
| Blade thickness | 0.8 mm |
| Blade width | 4 mm |
| Blade height | 70 mm |

General

| | |
|---------------|-------------------------------|
| Color | silver |
| Type | Bladed |
| Material | Steel |
| Test standard | DIN 3126 drive, output 3127-1 |

Standards and Regulations

| | |
|---------------|-------------------------------|
| Test standard | DIN 3126 drive, output 3127-1 |
|---------------|-------------------------------|

Environmental Product Compliance

| | |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

Drawings

Screw insert - SF-BIT-SL 0,8X4,0-70 - 1212572

Pictogram



Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 21044204 |
| eCl@ss 11.0 | 21044204 |
| eCl@ss 4.0 | 21040400 |
| eCl@ss 4.1 | 21040400 |
| eCl@ss 5.0 | 21040400 |
| eCl@ss 5.1 | 21040400 |
| eCl@ss 6.0 | 21049200 |
| eCl@ss 7.0 | 21044204 |
| eCl@ss 9.0 | 21044204 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC002115 |
| ETIM 6.0 | EC002116 |
| ETIM 7.0 | EC002116 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11 | 27111701 |
| UNSPSC 12.01 | 27111701 |
| UNSPSC 13.2 | 27111701 |
| UNSPSC 18.0 | 27112814 |
| UNSPSC 19.0 | 27112814 |
| UNSPSC 20.0 | 27112814 |
| UNSPSC 21.0 | 27112800 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Screw insert - SF-BIT-SL 0,8X4,0-70 - 1212572

Approvals

EAC



RU C-
DE.AI30.B.01750

Phoenix Contact 2022 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)