

**A 0,5 - 6**

Order No.: 3200218

The figure shows variant A 1-6

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200218>

Ferrule, Length: 6 mm, Color: silver

**Commercial data**

EAN	4017918093860
Pack	1000 pcs.
Customs tariff	85369010
Weight/Piece	0.000032 KG
Catalog page information	Page 661 (CL-2009)

**Product notes**WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General**

Length (b)	6 mm
Color	silver
Material	E-CU
Sleeve length	5.3 mm
Inner dimension of the insulating collar (d)	2.1 mm

Ferrule diameter	1 mm
Sleeve wall thickness	0.15 mm

### Certificates / Approvals



Certification

CSA, UCSA

A 0,5 - 6 Order No.: 3200218

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200218>

---

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)