

Reducing adapter - A-INR-PG29/21-N-NS-S - 1415218

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Reducing adapter, material: Brass, nickel-plated, connecting thread: Pg29, color: silver, with O-ring

Product Description

Reduces Pg29 to Pg21



Key Commercial Data

Packing unit	10 pc
GTIN	 4 055626 038612
GTIN	4055626038612

Technical data

Dimensions

Length	11.5 mm
Length without connecting thread	3 mm
Connecting thread diameter	23 mm
Hexagon angular dimension	43.5 mm
Length of the connecting thread	8 mm

Ambient conditions

Degree of protection	IP68 (Depends on the screw connection used)
----------------------	---

General

Material	Brass, nickel-plated
O-ring material	NBR
Outer thread	Pg29
Internal thread	Pg21
Color	silver

Standards and Regulations

Reducing adapter - A-INR-PG29/21-N-NS-S - 1415218

Technical data

Standards and Regulations


Halogen-free	no
--------------	----

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Drawings

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

eCl@ss 10.0.1	27440201
eCl@ss 11.0	27144492
eCl@ss 4.0	27141200
eCl@ss 4.1	27141200
eCl@ss 5.0	27149100
eCl@ss 5.1	27149100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149109
eCl@ss 9.0	27440201

ETIM

ETIM 6.0	EC002309
ETIM 7.0	EC000938

UNSPSC

UNSPSC 13.2	39121311
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501

Reducing adapter - A-INR-PG29/21-N-NS-S - 1415218

Classifications

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

Phoenix Contact 2022 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)