

Cable housing - PH 1,5/S/6 - 3212785

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Cable housing, Length: 19.9 mm, Width: 21 mm, Height: 36.8 mm, Number of positions: 6, Color: gray



Product Features

- Robust cable housing for strain relief on connecting cables
- Can be aligned without any loss of pitch
- Additional scope for marking plugs

Key commercial data

| | |
|------------------------|----------|
| Packing unit | 1 PCE |
| Minimum order quantity | 25 PCE |
| Custom tariff number | 85472000 |
| Country of origin | Poland |

Technical data

General

| | |
|---|------|
| Color | gray |
| Inflammability class according to UL 94 | V0 |
| Number of positions | 6 |

Dimensions

| | |
|--------|---------|
| Width | 21 mm |
| Length | 19.9 mm |
| Height | 36.8 mm |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27141199 |
| eCl@ss 4.1 | 27141199 |

Cable housing - PH 1,5/S/6 - 3212785

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 5.0 | 27141145 |
| eCl@ss 5.1 | 27141145 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27141120 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000451 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121411 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 39121411 |

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)