

DIN rail - NS 32 PERFORATED - 1201002

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



G-profile DIN rail, material: Steel, perforated, height 15 mm, width 32 mm, length 2 m

Key commercial data

Packing unit	1
Minimum order quantity	5
Catalog page	Page 342 (CL2-2011)
GTIN	 4 017918 017132
Custom tariff number	72166190
Country of origin	GERMANY

Technical data

General data

Height	15 mm
Length	2000 mm
Width	32 mm
Material	Steel
Coating	Galvanized, passivated with a thick layer
Color	silver

Classifications

eclass

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27141143
eCl@ss 7.0	27141143

etm

ETIM 2.0	EC001285
ETIM 3.0	EC001285

DIN rail - NS 32 PERFORATED - 1201002

Classifications

etim


ETIM 4.0	EC001285
----------	----------

unspsc

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

Drawings

Dimensioned drawing



© Phoenix Contact 2012 - all rights reserved
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact \(菲尼克斯\)](#)