

## Charging connector holder - EV-T1CCS-PARK - 1624143

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



CHARX connect, Charging connector holder, for vehicle charging connectors on charging stations (EVSE), HPC CCS type 1, SAE J1772, Front mounting

### Product Description


Retainer for Vehicle Connector as parking position at charging stations for E-Mobility (EVSE)

### Your advantages

- ✓ Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- ✓ Individual branding, thanks to the use your own logo



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 241593
GTIN	4055626241593

### Technical data

#### Product definition

Application	for vehicle charging connectors on charging stations (EVSE)
	Combined Charging System
	High Power Charging
Standards/regulations	SAE J1772
Charging standard	HPC CCS type 1
Charging mode	Mode 4

#### Dimensions

Height	118 mm
Width	75 mm
Depth	37.5 mm
Bore dimensions	60 mm x 103 mm

# Charging connector holder - EV-T1CCS-PARK - 1624143

## Technical data

### Ambient conditions

Ambient temperature (operation)	-30 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C
Degree of protection	IP54

### Mechanical properties

Vehicle Connector fixing	With actuation lever
Removal of the Vehicle Connector	Lever actuation and removal

### Mounting

Possible mounting positions	Front mounting
Restrictions to mounting position	Only 0 to 45 degree frontal inclination possible, see figure
Mounting hole diameter	6.00 mm (ø)

### Design

Housing color	black
Customer variations	On request

### Material


Material	Plastic
Flammability rating	V0

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Dimensional drawing



Dimensional drawing

## Charging connector holder - EV-T1CCS-PARK - 1624143

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27144792
eCl@ss 11.0	27144792
eCl@ss 4.0	27140800
eCl@ss 4.1	27140800
eCl@ss 5.0	27143400
eCl@ss 5.1	27143400
eCl@ss 6.0	27143400
eCl@ss 7.0	27449001
eCl@ss 9.0	27144792

#### ETIM

ETIM 2.0	EC000241
ETIM 3.0	EC002061
ETIM 4.0	EC002061
ETIM 6.0	EC002884
ETIM 7.0	EC002884

#### UNSPSC

UNSPSC 6.01	30211923
UNSPSC 7.0901	39121522
UNSPSC 11	39121522
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522
UNSPSC 18.0	39121522
UNSPSC 19.0	39121522
UNSPSC 20.0	39121522
UNSPSC 21.0	39121500

Phoenix Contact 2022 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)