

Module plate - MD-INB24-3-SZP-S - 1415242

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Module plate, with seal, for CES B24 sealing frames, with 3 openings, including mounting screws



Product Description

8 mounting screws (M5x12)/washers are supplied as standard



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	780.0 g
Custom tariff number	73269098
Country of origin	Germany

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

General

Product description	8 mounting screws (M5x12)/washers are supplied as standard
Material	Stainless steel 1.4301/AISI 304
	NBR (Seal)
Color	silver
Torque	1 Nm ... 1.2 Nm (Mounting screw, M5)
Note	incl. mounting screws
Installation instructions	Diameter of fixing hole for self-tapping screw: 4.5 mm ... 4.7 mm, mounting screws (M5x12): 1.0 Nm ... 1.2 Nm tightening torque, SW4 Allen key
	Make sure the seal is fitted correctly (must not be squeezed out at the sides)

Module plate - MD-INB24-3-SZP-S - 1415242

Classifications

eCl@ss

eCl@ss 5.1	27081002
eCl@ss 6.0	27081002

ETIM


ETIM 5.0	EC002309
----------	----------

Drawings

Dimensional drawing

Dimensional drawing

Wall cutout drawing



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)