

Diagonal cutter - MICROFOX-S ESD_DB - 1212804

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



ESD electronic diagonal cutter, round head, without chamfer, with opening spring, non-reflective coating and phosphate-treated, 2-component handle, cutting capacity diameter: soft 0.2 ... 2.0 mm; medium hard 1 mm, type of packaging: with holder for sales display (backcard)

Product Features

- Ergonomically designed two-component handles for fatigue-proof and non-slip use
- Opening spring for uniform, smooth opening
- Made from special high-grade tool steel
- Screwed precision-joint for permanent stability and optimum results
- Mirror-polished and phosphate-treated metal surfaces for optimum rust protection and no glare when working
- The special conductive plastic handles ensure slow and safe removal of electrostatic energy according to standards and directives such as DIN EN 61340-5



Key Commercial Data

Packing unit	1 pc
Custom tariff number	82032000
Country of origin	Germany

Technical data

Dimensions

Long the (h)	110
Length (b)	110 mm
~ ` ` '	

Classifications

eCl@ss

eCl@ss 5.1	21040302
eCl@ss 6.0	21043706

03/10/2016 Page 1 / 2



Diagonal cutter - MICROFOX-S ESD_DB - 1212804

Classifications

\sim	
Δ ('	@ss
	iiw 33

EAC

001@00		
eCl@ss 8.0	21043711	
ETIM		
ETIM 2.0	EC001186	
ETIM 3.0	EC001186	
ETIM 4.0	EC000165	
ETIM 5.0	EC000165	
Approvals		
Approvals		
Approvals		
EAC		
Ex Approvals		
Approvals submitted		
Approval details		

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

单击下面可查看定价,库存,交付和生命周期等信息

>>Phoenix Contact(菲尼克斯)