

Passive module - FLKM-2KS40/YCS - 2901056

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(<http://phoenixcontact.com/download>)



The figure shows the version with spring-cage connection

VARIOFACE interface module for analog modules, 1:1 connection, redundant connector. For Yokogawa CENTUM CS3000 cards AAV141, AAV142, AAI141, AAI143, AAV542, AAI543, AAI135, AAI835, AAP135, AAT141, AAR181, AAB841.



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	280.0 g
Custom tariff number	85369010
Country of origin	Germany

Technical data

Supported controller

Controller	YOKOGAWA CS3000 CentumVP
- suitable I/O card	AAI543
	AAI141
	AAI143
	AAI835
	AAI841
	AAI135
	AAR181
	AAT141
	AAV141
	AAV142
	AAB841
	AAV542
Controller	YOKOGAWA STARDOM

Passive module - FLKM-2KS40/YCS - 2901056

Technical data

Supported controller

- suitable I/O card	NFAI141
	NFAI43
	NFAI543
	NFAI135
	NFAP135
	NFAV141
	NFAV142
	NFAV542
	NFAB841
	NFAI841
	NFAI835

Classifications

eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	27250313
eCl@ss 5.1	27250313
eCl@ss 6.0	27242608
eCl@ss 7.0	27141152
eCl@ss 8.0	27141152

ETIM

ETIM 2.0	EC001434
ETIM 3.0	EC001604
ETIM 4.0	EC001604
ETIM 5.0	EC002780

UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	39121421

Approvals

Approvals



Passive module - FLKM-2KS40/YCS - 2901056

Approvals

Approvals

CSA

Ex Approvals

Approvals submitted


Approval details

CSA

Drawings


Passive module - FLKM-2KS40/YCS - 2901056

Circuit diagram



Passive module - FLKM-2KS40/YCS - 2901056

Dimensional drawing



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)