

# Screw connection - WP-G PP HF PG29 - 3240993

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable gland made from PP with Pg thread, IP65 protection

0

The figure shows a version of the article

## Key Commercial Data

Packing unit	1 STK
Minimum order quantity	2 STK
Weight per Piece (excluding packing)	30.0 g
Custom tariff number	39174000
Country of origin	Germany

### Technical data

### Dimensions

Width (a)	54 mm
Height	48 mm
Wrench size	45.00 mm
Outside diameter	36.00 mm
Cable diameter	27 mm 27 mm

### Ambient conditions

Ambient temperature (operation)	-10 °C 110 °C
Degree of protection	IP65

### General

Color	gray
Туре	Straight
	Outer thread
Components	Halogen-free
Flammability rating according to UL 94	НВ
Material	PP

07/25/2016 Page 1 / 3



# Screw connection - WP-G PP HF PG29 - 3240993

### Technical data

### Standards and Regulations

Flammability rating according to UL 94	НВ

### Classifications

#### eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131
eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27149109
eCl@ss 9.0	27144432

### ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001178
ETIM 5.0	EC001178

### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

### Approvals

Approvals

#### Approvals

VDE Zeichengenehmigung

#### Ex Approvals

Approvals submitted

07/25/2016 Page 2 / 3



## Screw connection - WP-G PP HF PG29 - 3240993

Approvals

Approval details

VDE Zeichengenehmigung

#### Accessories

Accessories

Corrugated pipe

Protective hose - WP-SPIRAL PVC C 36 - 3240854



Protective hose, spring steel wire with PVC coating, highly stranded

Protective hose - WP-SPIRAL PU C HF 36 - 3240861



Protective hose, spring steel wire with PU coating, highly stranded

Mounting material

Protective hose fixing bracket - WP-BASE A PG29 - 3241081



Fixing bracket for protective sleeves, fixed with two screws

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

07/25/2016 Page 3 / 3

>>Phoenix Contact(菲尼克斯)