

Retaining frame - DC-B 6-MHR-T3 - 1581285

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Hinged retaining frame, for DUPLICON DC-B 6 sleeve housing, for 3 contact insert modules, labeling with capital letters (A, B, C)



Key commercial data

Packing unit	1 PCE
Weight per Piece (excluding packing)	0.08 GRM
Custom tariff number	85389099
Country of origin	Germany

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

General

Note	Hinged retaining frame
Design	B6
Assembly instructions	HC-MHR-PE16 (1636981) for PE connection extension to 16 mm².

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209

Retaining frame - DC-B 6-MHR-T3 - 1581285

Classifications

eCl@ss

eCl@ss 8.0	27440209
------------	----------

ETIM


ETIM 3.0	EC002310
ETIM 4.0	EC002310
ETIM 5.0	EC002310

UNSPSC

UNSPSC 6.01	30211808
UNSPSC 7.0901	39121408
UNSPSC 11	39121408
UNSPSC 12.01	39121408
UNSPSC 13.2	39121408

Drawings

Dimensioned drawing



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)