

# Screw insert - SF-BIT-TX 40-50 - 1200161

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Screw bit,  $Torx^{\circ}$ , E6.3-1/4" drive, size: TX 40 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ ISO 1173

The figure shows the SF-BIT-TX 20x50 version

#### Why buy this product

■ Tools for SF-ASD 21 cordless screwdriver in various versions

# **Key Commercial Data**

Packing unit	1 STK
Custom tariff number	82079030
Country of origin	Czech Republic

### Technical data

#### Dimensions

Blade height	50 mm
Conoral	

#### General

Color	silver
Туре	Torx
Test standard	DIN 3126

#### Standards and Regulations

Test	standard	DIN 3126

# **Drawings**

Pictogram





# Screw insert - SF-BIT-TX 40-50 - 1200161

# Classifications

## eCl@ss

eCl@ss 4.0	21040402
eCl@ss 4.1	21040402
eCl@ss 5.0	21040402
eCl@ss 5.1	21040402
eCl@ss 6.0	21040290
eCl@ss 7.0	21040290
eCl@ss 8.0	21044203

### **ETIM**

ETIM 4.0	EC002117
ETIM 5.0	EC002115

### UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

# 单击下面可查看定价,库存,交付和生命周期等信息

>>Phoenix Contact(菲尼克斯)