

Tool - UNIFOX-RVT M - 1212476

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Blind rivet pliers, compact and stable design, for rivets 2.4 - 5.0 mm in diameter, with three nosepieces and wrench

Why buy this product

- ✓ Special rivets are available for fixing RW... and UW... high-current panel feed-through terminal blocks that are specifically designed for terminal blocks
- ✓ Compact, ergonomically shaped pliers
- ✓ 3 inserts for rivet diameter of 2.4 - 3.2 mm, 4 mm, and 4.8 - 5.0 mm

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 254 (CL2-2011)
GTIN	 4 046356 527064
Custom tariff number	82055980
Country of origin	CHINA

Technical data

General

Color	black
Material	Aluminum (AlMg 3/3.5)/galvanized steel

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21100190
eCl@ss 7.0	21100190

etim

ETIM 3.0	EC000181
----------	----------

Tool - UNIFOX-RVT M - 1212476

Classifications

etim

ETIM 4.0	EC000181
----------	----------

unspsc

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)