

Shielding foil - ALU-SB - 1404531

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Shielding foil, for fixing the braided shield of shielded cables. Length: 4 cm, width: 1.2 cm



Key Commercial Data

Packing unit	1 STK
Minimum order quantity	100 STK
Custom tariff number	74102100
Country of origin	Germany

Technical data

Dimensions

Length	40 mm
Width	12 mm

General

Material	Copper, tin-plated
----------	--------------------

Classifications

eCl@ss

eCl@ss 4.0	27140815
eCl@ss 4.1	27140815
eCl@ss 5.0	21040206
eCl@ss 5.1	21040206
eCl@ss 6.0	21040206
eCl@ss 7.0	21040206
eCl@ss 8.0	27379201
eCl@ss 9.0	27379201

Shielding foil - ALU-SB - 1404531

Classifications

ETIM

ETIM 3.0	EC000174
ETIM 4.0	EC002498
ETIM 5.0	EC002498

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	27113201
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)